

=> d his

(FILE 'HOME' ENTERED AT 08:57:29 ON 16 MAR 2005)

FILE 'REGISTRY' ENTERED AT 08:57:38 ON 16 MAR 2005

L1 STRUCTURE UPLOADED

L2 4 S L1


L3 76 S L1 FULL

FILE 'CAPLUS' ENTERED AT 08:58:42 ON 16 MAR 2005

L4 17 S L3

=> d que l4 stat

L1 STR



Structure attributes must be viewed using STN Express query preparation.

L3 76 SEA FILE=REGISTRY SSS FUL L1

L4 17 SEA FILE=CAPLUS ABB=ON PLU=ON L3

=> d 1-17 bib abs hitstr


L4 ANSWER 1 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:1019613 CAPLUS
 DN 142:13612
 TI Silver halide color photographic photosensitive paper and image-forming method
 IN Seto, Nobuo; Makuta, Toshiyuki; Sakai, Hidekazu; Yoneyama, Hiroyuki; Ichinose, Tomonori
 PA Fuji Photo Film Co., Ltd., Japan
 SO U.S. Pat. Appl. Publ., 109 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 3

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US 2004234908	A1	20041125	US 2004-842905	20040511
JP 2004334128	A2	20041125	JP 2003-133509	20030512
JP 2004334134	A2	20041125	JP 2003-133667	20030512
JP 2004361936	A2	20041224	JP 2004-141419	20040511
PRAI JP 2003-133163	A	20030512		
JP 2003-133509	A	20030512		
JP 2003-133667	A	20030512		

OS MARPAT 142:13612
 AB A silver halide color photog. photosensitive material comprises in at least one layer on a support, at least one yellow dye-forming coupler which has a microhardness value of ≤ 200 when forming a polymerized film and contains at least three alkenylcarbonyl groups in the mol. The use of the yellow coupler and the additive(s) defined in the present invention, in combination, give photosensitive materials excellent in image fastness.

IT 783335-93-3P 783335-94-4P
 RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (Preparation of dye coupler for color photog. material)


RN 783335-93-3 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 783335-94-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -bromo-2-(3-butoxypropyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:1018972 CAPLUS
 DN 142:29916
 TI Silver halide color photographic material containing yellow dye-forming coupler and method of forming image
 IN Makuta, Toshiyuki; Sakai, Shuichi; Seto, Nobuo; Yoneyama, Hiroyuki; Ichinose, Tomonori
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 138 pp.
 CODEN: JKKXAF
 DT Patent
 LA Japanese
 FAN.CNT 3


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004334128	A2	20041125	JP 2003-133509	20030512
US 2004234908	A1	20041125	US 2004-842905	20040511
PRAI JP 2003-133163	A	20030512		
JP 2003-133509	A	20030512		
JP 2003-133667	A	20030512		




AB Disclosed is the silver halide color photog. material which contains in the same layer 21 yellow dye-forming coupler I (Q = nonmetallic atomic group forming 5-7-membered ring; R1, 2 = substituent; m = 0-5; and X = H, leaving group upon coupling reaction) and a compound having a microhardness value ≤ 200 during the polymer film formation and containing 23 alkenylcarbonyl groups. Also disclosed is the process, in which the color development is carried out in 10-20 s and the exposure is carried out at 1 + 10-8 - 1 + 10-4 s per a pixel.
 IT 676352-64-0 676352-95-7 727678-39-9
 RL: NUU (Other use, unclassified); USES (Uses)
 (yellow coupler; silver halide color photog. material containing yellow dye-forming coupler)

RN 676352-64-0 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(hexyloxy)propyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




IT 727678-39-9P
 RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (Preparation of dye coupler for color photog. material)
 RN 727678-39-9 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



L4 ANSWER 2 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-95-7 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(2-ethylhexyl)thio]phenyl]-2-[3-(hexyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 727678-39-9 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



L4 ANSWER 3 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:904417 CAPLUS
 DN 141:386108
 TI Silver halide photographic papers containing specific yellow coupler
 IN Yoneyama, Hiroyuki; Makuta, Toshiyuki; Seto, Nobuo; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 150 pp.
 CODEN: JQXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004102302	A2	20041028	JP 2003-97156	20030331
PRAI JP 2003-97156		20030331		
OS MARPAT 141:386308				
GI				




AB The title photog. paper has each yellow, magenta, and cyan color developing photog. emission layers on a support, wherein the yellow photog. emission layer contains coupler I (Q = -N=C-N(R1); R1-2 = substituent; m = integer 0-5; X = H, leaving group) II (R61-64 = H, aliphatic group; X61 = H, aliphatic, acyl, etc.), and hydroxyphenyl compound.

The paper is suitable for fast processing and provides images of good color, good storageability.

IT 783335-93-3P 783335-94-4P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (silver halide photog. papers)


RN 783335-93-3 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 783335-94-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-bromo-2-(3-butoxypropyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




IT 727678-39-9P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (silver halide photog. papers)

RN 727678-39-9 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



L4 ANSWER 4 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:612323 CAPLUS
 DN 141:148027
 TI Silver halide color photographic material containing yellow dye-forming coupler for improved rapid development
 IN Makuta, Toshiyuki; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi; Seto, Nobuo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 149 pp.
 CODEN: JQXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 200412672	A2	20040729	JP 2002-382505	20021227
PRAI JP 2002-382505		20021227		
OS MARPAT 141:148027				
GI				



AB Disclosed is the Ag halide color photog. material containing 21 yellow dye-forming coupler represented by I (Q = nonmetallic atomic group forming

5-7-membered ring with N=C-N(R1); R1 = C4-8 alkyl; R2 = substituent; R4 = primary alkyl; m = integer 0-4; and X = leaving group upon coupling reaction) and 21 compound represented by II (R1b = aliphatic, aryl, etc.; R2b-5 = H, halo, hydroxy, aliphatic, etc.).

IT 727678-39-9 727678-41-3 727678-43-5


RL: NUU (Other use, unclassified); USES (Uses)
 (silver halide color photog. material containing yellow dye-forming coupler

for improved rapid development)


RN 727678-39-9 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 727678-41-3 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-[(1,1-dimethylethyl)-2-[(2,2-dimethylpropyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 727678-43-5 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[5-[(1,1-dimethylethyl)-2-[(2-phenylethyl)thio]phenyl]-α-(2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl)-2-[3-(hexyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 5 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:605904 CAPLUS
 DN 141:148019
 TI Silver halide color photographic material containing yellow dye-forming coupler for improved rapid development
 IN Makuta, Toshiyuki; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi; Seto, Nobuo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 141 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 PAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004212669	A2	20040729	JP 2002-382452	20021227
PRAI JP 2002-382452		20021227		
OS MARPAT 141:148019				
GI				



I



II

AB Disclosed is the Ag halide color photog. material containing 21 yellow dye-forming coupler represented by I (Q = nonmetallic atomic group forming 5-7-membered ring with N=C-N(R1); R1,2 = substituent; m = integer 0-5; and

and X = leaving group upon coupling reaction) and 21 compound represented by II (R = aliphatic).


IT 727678-39-9

RL: NUU (Other use, unclassified); USES (Uses)
 (silver halide color photog. material containing yellow dye-forming coupler for improved rapid development)


RN 727678-39-9 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-[(1,1-dimethylethyl)-2-[(2-ethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 4 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



L4 ANSWER 5 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:310396 CAPLUS
 DN 140:329461
 TI Silver halide color photographic material containing yellow coupler for improved storage stability
 IN Sato, Nobuo; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 103 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1
 PATENT NO. KIND DATE APPLICATION NO. DATE
 PI JP 2004117997 A2 20040415 JP 2002-283093 20020927
 PRAI JP 2002-283093
 OS MARPAT 140:329461
 GI



AB Disclosed is the silver halide color photog. material containing a yellow coupler which is represented by I (Q = nonmetallic atomic group forming 5-7-membered ring with R1; R1,2 = substituent; R4 = secondary or tertiary alkyl; m = integer 0-5; and X = H, coupling group).

IT 676352-77-5P 676352-78-6P 676352-79-7P

676352-80-0P 676353-65-4P 676353-67-6P


RL: IMP (Industrial manufacture); RCT (Reactant); PREP (Preparation);

RACT (Reactant or reagent)


(Preparation yellow coupler for silver halide color photog. material)

RN 676352-77-5 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[2-[(1,1,3,3-tetramethylbutyl)thiophenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 676353-67-6 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-methyl-2-[(1,1,3,3-tetramethylbutyl)thiophenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



IT 676352-56-0P 676352-59-3P 676353-63-2P

RL: IMP (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(yellow coupler; silver halide color photog. material containing yellow coupler for improved storage stability)


RN 676352-56-0 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thiophenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


RN 676352-78-6 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[2-[(1,1,3,3-tetramethylbutyl)thiophenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-79-7 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[(1,1-dimethylethyl)thiophenyl]-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676352-80-0 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[(1,1-dimethylethyl)thiophenyl]-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676353-65-4 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-methyl-2-[(1,1,3,3-tetramethylbutyl)thiophenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 676352-59-3 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-N-[2-[(1,1-dimethylethyl)thiophenyl]-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676353-63-2 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-N-[5-methyl-2-[(1,1,3,3-tetramethylbutyl)thiophenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




IT 676352-64-0 676352-72-0 679000-52-3
679000-53-4

RL: TEM (Technical or engineered material use); USES (Uses)
(yellow coupler; silver halide color photog. material containing

yellow
coupler for improved storage stability)

RN 676352-64-0 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(hexyloxy)propyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thiolphenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-72-0 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)- α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(1,1,3,3-tetramethylbutyl)thiolphenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




L4 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 679000-52-3 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[(1,1-dimethylbutyl)thiolphenyl]- α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 679000-53-4 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)- α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1-methyl-1-phenylethyl)thiolphenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:305584 CAPLUS

DN 140:347397

TI Yellow coupler and silver halide photographic material

IN Seto, Nobuo; Yoneyama, Hiroyuki

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 115 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

PAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 200417987	A2	20040415	JP 2002-283005	20020927
JP 2002-283005		20020927		
MARPAT 140:347397				

GI



AB Disclosed is the yellow coupler which is represented by I (Q = nonmetallic

atomic group forming 5-7-membered ring with R1; R1,2 = substituent; m = integer 0-5; and X = coupling group) and contained in ≥ 1 layer formed on a support of the Ag halide photog. material for an improved color stability.


IT 680609-34-1 680609-35-2 680609-36-3
680609-37-4 680609-38-5 680609-39-6
680609-40-9 680609-41-0 680609-42-1
680609-43-2 680609-44-3 680609-45-4
680609-46-5 680609-47-0 680609-48-3
680609-49-4 680609-50-5 680609-51-6
680609-52-1 680609-53-2 680609-54-3
680609-55-4 680609-56-5 680609-57-6
680609-58-7 680609-59-8 680609-60-9
680609-61-0 680609-62-1 680609-63-2
680609-64-3 680609-65-4 680609-66-5
680609-67-6 680609-68-7 680609-69-8
680609-70-9 680609-71-0 680609-72-1
680609-73-2 680609-74-3 680609-75-4
680609-76-5 680609-77-6 680609-78-7
680609-79-8 680609-80-9 680609-81-0
680609-82-1 680609-83-2 680609-84-3
680609-85-4 680609-86-5 680609-87-6
680609-88-7 680609-89-8 680609-90-9
680609-91-0 680609-92-1 680609-93-2
680609-94-3 680609-95-4 680609-96-5
680609-97-6 680609-98-7 680609-99-8
680609-100-9

RL: NUU (Other use, unclassified); USES (Uses)
(yellow coupler contained in silver halide photog. material)


RN 680609-34-1 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[[3-[2,5-bis(1,1-dimethylbutyl)-4-methoxyphenoxy]propyl]thiolphenyl]- α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-35-2 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[[3-(4-methoxy-3-methylphenoxy)propyl]thio]phenyl]-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN	680609-36-3	CAPLUS
CN	2H-1,4-benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-N-[2-[[[5-[3-[2-[1-(2-hydroxy-3,5-dimethylphenyl)-2-methylpropyl]-4,6-dimethylphenoxy]propoxy]-2-methoxyphenyl]methyl]thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)	

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

PAGE 1-A




PAGE 1-B

$$-(\text{CH}_2)_{11}-\text{Me}$$

RN 680609-38-5 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-N-2-[[5-[[5-[(2-hydroxy-5-methylphenyl)amino]-5-oxopentyl]oxy]-2-methoxyphenyl]methyl]thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
PAGE 1-A




PAGE 1-B

$$-(\text{CH}_2)_{11}-\text{Me}$$

RN 680609-37-4 CAPLUS
CN Benzoic acid, 3,5-dibutoxy-4-hydroxy-,
2-[3-[[[2-[[[5,5-dimethyl-2,4-dioxo-
3-oxazolidinyl](2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-
benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]methyl]-4-
methoxyphenoxy]ethyl ester (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

PAGE 1-A




PAGE 1-B

$$-(\text{CH}_2)_{11}-\text{Me}$$

RN	680609-39-6	CAPLUS
CN	Pentanoic acid, 5-[3-[[[2-[[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl][2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]methyl]-4-methoxyphenoxyl]-, 2,2,6,6-tetramethyl-4-piperidiny] ester (9CI) (CA INDEX NAME)	

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

PAGE 1-A




PAGE 1-B

—(CH₂)₁₁—Me


RN 680609-40-9 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-N-[2-[[[2-methoxy-5-[4-(methoxymethylamino)-4-oxobutoxy]phenyl]methyl]thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

oxazolidinyl)-2-[3-(dodecyloxy)propyl]-N-[2-[[[2-methoxy-5-[3-[[5-methyl-2-(octyloxy)phenyl]thio]propoxy]phenyl]methyl]thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 680609-43-2 CAPLUS
CN Propanoic acid,
3-[[[4-[3-[[[2-[[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]methyl]-4-methoxyphenoxy]butyl]thio]-, octyl ester (9CI) (CA INDEX NAME)




RN 680609-44-3 CAPLUS
CN Phosphoric acid,
3-[3-[[[4-[[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-41-0 CAPLUS
CN Propanoic acid, 3-(octylthio)-, 3-[3-[[[2-[[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]methyl]-4-methoxyphenoxy]propyl ester (9CI) (CA INDEX NAME)




RN 680609-42-1 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
yl]acetyl]amino]phenyl]thio]methyl]-4-methoxyphenoxy]propyl diethyl ester (9CI) (CA INDEX NAME)




RN 680609-45-4 CAPLUS
CN Phosphinic acid, diphenyl-, 3-[3-[[[2-[[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]methyl]-4-methoxyphenoxy]propyl ester (9CI) (CA INDEX NAME)



RN 680609-46-5 CAPLUS
CN Phosphoric acid,
4-[3-[3-[[[2-[[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]methyl]-4-methoxyphenoxy]propoxy]phenyl diphenyl ester (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

PAGE 1-A




PAGE 1-B


—(CH₂)₁₁—Me

RN 680609-59-0 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide,
 N-[5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxybenzoyl]amino]-2-(butylthio)phenyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-60-3 CAPLUS
 CN Phosphoramidic acid, [4-(butylthio)-3-[[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]-, diethyl ester (9CI) (CA INDEX NAME)




RN 680609-61-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-(butylthio)-5-[[diphenylphosphoryl]amino]phenyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-62-5 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide,
 N-[5-[[bis(phenylamino)phosphinyl]amino]-2-(butylthio)phenyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 680609-63-6 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide,
 N-[2-(butylthio)-5-[[2-methylene-1-oxotetradecyl]amino]phenyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-64-7 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-(butylthio)-5-[[di-2-propenylamino]carbonyl]amino]phenyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 680609-64-1 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide,
 2-[3-[[2,5-bis(1,1-dimethylbutyl)-4-methoxyphenoxy]propyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[[2-ethylhexyl]thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-85-2 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexylthio)phenyl]-2-[3-(2-[1-(2-hydroxy-3,5-dimethylphenyl)-2-methylpropyl]-4,6-dimethylphenoxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)


PAGE 1-A



L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 680609-88-5 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-[3-[2,5-bis[(1,1-dimethylbutyl)-4-methoxyphenoxy]propyl]- α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-(dodecylthio)phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 680609-89-6 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-(dodecylthio)phenyl]-2-[3-[2-[1-(2-hydroxy-3,5-dimethylphenyl)-2-methylpropyl]-4,6-dimethylphenoxy]propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

PAGE 2-A




RN 680609-86-3 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-2-pentanamide, 3-[1-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[[5-(1,1-dimethylethyl)-2-[(2-ethylhexylthio)phenyl]amino]-2-oxoethyl]-N-(2-hydroxy-5-methylphenyl)-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 680609-87-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexylthio)phenyl]-2-[3-[2-[(2,2-dimethyl-1-oxopropyl)amino]-4-methylphenoxy]propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)


PAGE 1-A



PAGE 2-A




RN 680609-90-9 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-2-pentanamide, 3-[1-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[[5-(1,1-dimethylethyl)-2-(dodecylthio)phenyl]amino]-2-oxoethyl]-N-(2-hydroxy-5-methylphenyl)-, 1,1-dioxide (9CI) (CA INDEX NAME)




L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 680609-91-0 CAPLUS
 CN Phosphoric acid, 3-[3-[1-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[[5-(1,1-dimethylethyl)-2-[dodecylthio]phenyl]amino]-2-oxoethyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-2-yl]propyl diethyl ester (9CI) (CA INDEX NAME)




RN 680609-92-1 CAPLUS
 CN Phosphoric acid, 3-[3-{1-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[(5-
 (1,1-dimethylethyl)-2-(dodecylthio)phenyl]amino]-2-oxoethyl}-1,1-dioxido-
 2H-1,2,4-benzothiadiazin-2-yl)propyl diphenyl ester (9CI) (CA INDEX
 NAME)



RN 680609-93-2 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide,
2-[3-[[bis(dibutylamino)phosphinyl]
amino]propyl]-a-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-


L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS ON STN (Continued)
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[(3,5-dioxythio-4-hydroxybenzoyl)amino]propyl]phenyl]-a-[5,5-dimethyl-2,4-dioxo-3-oxazolidinyl]-2-[3-(2-methyl-4-(octyloxy)phenoxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




PAGE 1-A

PAGE 1-B

L4 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
dimethylethyl)-2-(dodecylthio)phenyl]-, 1,1-dioxide (9CI) (CA INDEX
NAME)



RN 680610-00-8 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide,
2-[3-[2,5-bis(1,1-dimethylethyl)-4-
methoxyphenoxy]propyl]-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-
[2-[[4-[(2-hydroxy-5-methylphenyl)amino]-4-oxobutyl]thio]phenyl]-,
1,1-dioxide (9CI) (CA INDEX NAME)




RN 680610-01-9 CAPLUS

L4 ANSWER 8 OF 17 CARLUS COPYRIGHT 2005 ACS OR STN

AN 2004:261072 CAPLUS
DN 140:311873
TI Dye-forming coupler and silver halide color photographic light-sensitive material
IN Takeuchi, Kiyoshi; Seto, Nobuo; Yoneyama, Hiroyuki; Uehira, Shigeki;
Sano,
Satoshi; Shimada, Yasuhiro
PA Fuji Photo Film Co., Ltd., Japan
SO Eur. Pat. Appl., 94 pp.
CODEN: EPXXDW
DT Patent
LA English

PATENT NO.		KIND	DATE	APPLICATION NO.	DATE
PI	EP 1403704	A1	20040331	EP 2003-21632	20030925
	RS: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2004118082	A2	20040415	JP 2002-284156	20020927
	JP 2004139062	A2	20040513	JP 2003-330577	20030922
PRA1	JP 2002-283780	A	20020927		
	JP 2002-284156	A	20020927		
OS GI	MARPAT 140:311873				




AB The present invention relates to a yellow dye-forming coupler represented by formula I (Q = group of nonmetallic atoms that form a 5- to 7-membered ring in combination with the -N=C-N(R1)-; R1 = (CH2)3OR10; R101 = C4-8 alkyl; R2 may bond each other to form a ring; R4 = C1-4; X = 0-4; X = H, a group capable of being split-off upon a coupling reaction with an oxidized product of a developing agent). A silver halide color photoc. light-sensitive material having at least one yellow dye-forming coupler represented by formula I in at least one layer provided on a support.

IT 676352-36-0P 676352-39-3P


RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(dye-forming coupler for color photog. light-sensitive material)

RN	676352-56-0	CAPLUS
CN	2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)- α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)	

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-59-3 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1-dimethylethyl)thio]phenyl]-2-[3-(dodecyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




IT 676352-50-4 676352-53-7 676352-55-9
676352-57-1 676352-58-2 676352-60-6
676352-61-7 676352-62-8 676352-63-9
676352-64-0 676352-65-1 676352-66-2
676352-67-3 676352-68-4 676352-71-9
676352-72-0
RL: TEM (Technical or engineered material use); USES (Uses)
(dye-forming coupler for color photog. light-sensitive material)
RN 676352-50-4 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1-dimethylethyl)thio]phenyl]-2-[3-[(2-ethylhexyloxy)propyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-57-1 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1-dimethylethyl)thio]-5-methylphenyl]-2-[3-(octyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-58-2 CAPLUS
CN Phosphinic acid, diphenyl-, 3-[3-[(1,1-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[[2-[(1,1-dimethylethyl)thio]-5-methylphenyl]amino]-2-oxoethyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-2-yl]propyl ester (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-53-7 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-2-[3-[(2-ethylhexyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-55-9 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-60-6 CAPLUS
CN Propanoic acid, 2,2-dimethyl-, 3-[3-[[2-[(1,1-dimethylbutyl)thio]phenyl]amino]-1-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-oxoethyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-2-yl]propyl ester (9CI) (CA INDEX NAME)




RN 676352-61-7 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1-dimethylethyl)thio]phenyl]-2-[3-(octyloxy)propyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-62-8 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-N-[2-[(1-methylethyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-63-9 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(dodecyloxy)propyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-64-0 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-2-[3-(hexyloxy)propyl]-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-65-1 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1,3,3,5,5-hexamethylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-66-2 CAPLUS
 CN Propanoic acid, 2-[[2-[[[(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)[2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]-, ethyl ester (9CI) (CA INDEX NAME)




RN 676352-67-3 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-[3-(2,4-bis[(1,1-dimethylpropyl)phenoxy]propyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1-dimethylethyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-68-4 CAPLUS
 CN Propanoic acid, 2-[[2-[[[(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)[2-[3-(dodecyloxy)propyl]-1,1-dioxido-2H-1,2,4-benzothiadiazin-3-yl]acetyl]amino]phenyl]thio]-2-methyl-, ethyl ester (9CI) (CA INDEX NAME)




RN 676352-71-9 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(1,1,3,3,5,5-hexamethylhexyl)thio]phenyl]-2-methyl-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 676352-72-0 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-((1,1-dimethylethyl)-2-[(1,1,3,3-tetramethylbutyl)thio]phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)




IT 676352-89-9P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation of dye-forming coupler for color photog. light-sensitive material)

RN 676352-89-9 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-((1,1-dimethylethyl)-2-[(2-methylhexyl)thio]phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



IT 676352-77-5P 676352-78-6P 676352-79-7P

676352-80-0P 676352-87-7P 676352-88-8P


676352-93-5P 676352-94-6P 676352-98-0P

676352-99-1P 676353-65-4P 676353-67-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation of dye-forming coupler for color photog. light-sensitive material)

RN 676352-77-5 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676352-78-6 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-α-chloro-N-[2-[(1,1,3,3-tetramethylbutyl)thio]phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




IT 676353-00-7P 676353-63-2P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (preparation of dye-forming coupler for color photog. light-sensitive material)

RN 676353-00-7 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-((1,1-dimethylethyl)-2-[(octylthio)phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676353-63-2 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-methyl-2-[(1,1,3,3-tetramethylbutyl)thio]phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676352-79-7 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[(1,1-dimethylethyl)thio]phenyl]-2-[(3-(dodecyloxy)propyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676352-80-0 CAPLUS


CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-chloro-N-[2-[(1,1-dimethylethyl)thio]phenyl]-2-[(3-(dodecyloxy)propyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-87-7 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-((3-butoxypropyl)-N-[5-((1,1-dimethylethyl)-2-[(2-methylhexyl)thio]phenyl)]-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 676352-88-8 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-chloro-N-[5-(1,1-dimethylethyl)-2-[(2-methylhexyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-93-5 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[2-[(2-ethylhexyl)thio]phenyl]-2-[3-(hexyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-94-6 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-chloro-N-[2-[(2-ethylhexyl)thio]phenyl]-2-[3-(hexyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)




RN 676353-67-6 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-methyl-2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




IT 676352-95-7 CAPLUS
RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(preparation of dye-forming coupler for color photog. light-sensitive material)

RN 676352-95-7 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[2-[(2-ethylhexyl)thio]phenyl]-2-[3-(hexyloxy)propyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 676352-98-0 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-N-[5-(1,1-dimethylethyl)-2-(octylthio)phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)




RN 676352-99-1 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-chloro-N-[5-(1,1-dimethylethyl)-2-(octylthio)phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)



RN 676353-65-4 CAPLUS
CN 2H-1,2,4-Benzothiadiazine-3-acetamide, 2-(3-butoxypropyl)-α-chloro-N-[5-methyl-2-[(1,1,3,3-tetramethylbutyl)thio]phenyl]-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 9 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:853306 CAPLUS

DN 139:356004

TI Silver halide color photographic material containing specific yellow

coupler and image formation

IN Yokokawa, Takuya; Deguchi, Yasuaki; Takeuchi, Kiyoshi

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 69 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003107822	A2	20031031	JP 2002-112547	20020415
PRAI JP 2002-112547		20020415		
OS MARPAT 139:356004				

GI



AB The material has ≥ 1 blue-sensitive emulsion layer containing a yellow coupler, ≥ 1 green-sensitive emulsion layer containing a magenta coupler, and ≥ 1 red-sensitive emulsion layer containing a cyan coupler on a support. It is characterized by that (1) (a) it is exposed according to digital image information for variable area gradation for the image formation; (b) an image is formed by the maximum d. of each photosensitive layer, but not a gradation part on a continuous tone characteristic curve;

or (c) it provides a fine line image with line width $\leq 30 \mu\text{m}$ and (2) it contains a yellow coupler I (Q = non-metal atoms required to form 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product).

It shows improved color reproduction, stability, and high productivity for the image formation and is useful for area variable color proof.

IT 61714-14-4

RL: TEM (Technical or engineered material use); USES (Uses)

(photog. film containing specific yellow coupler useful for

manufacture of color


proof)

RN 61714-14-4 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, N-[5-(1,1-dimethylethyl)-2-[(3-(4-methoxyphenoxy)propyl)thiophenyl]- α -(4-methoxy-3-methyl-2,5-dioxo-1-imidazolidinyl)-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

(Continued)



L4 ANSWER 10 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:853305 CAPLUS

DN 139:343427

TI Silver halide photographic material containing yellow coupler and

surfactant

IN Deguchi, Yasuaki; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 70 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003107821	A2	20031031	JP 2002-111867	20020415
PRAI JP 2002-111867		20020415		
OS MARPAT 139:343427				

GI



AB The material, having ≥ 1 blue-sensitive emulsion layer containing a yellow coupler, ≥ 1 green-sensitive emulsion layer containing a magenta coupler, and ≥ 1 red-sensitive emulsion layer containing a cyan coupler on a support, contains a yellow coupler I (Q = non-metal atoms required to

form 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product), and ≥ 1 of anionic or nonionic surfactant. The film gives high d. images with good color reproduction and good storage stability.

IT 465521-04-4

RL: TEM (Technical or engineered material use); USES (Uses)


(photog. film containing specific yellow coupler and surfactant)

RN 465521-04-4 CAPLUS

CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α -(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-[(2-ethylhexyl)thiophenyl]-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

(Continued)



L4 ANSWER 11 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:853303 CAPLUS
 DN 139:156002
 TI Silver halide color photographic material containing specific yellow coupler
 IN Matsumoto, Atsushi; Deguchi, Yasuaki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 45 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 200307819	A2	20031031	JP 2002-111275	20020412
PRAI JP 2002-111275		20020412		
OS MARPAT 139:356002				
GI				




AB The material has 21 blue-sensitive emulsion layer containing a yellow coupler, 21 green-sensitive emulsion layer containing a magenta coupler, and 21 red-sensitive emulsion layer containing a cyan coupler on a transparent or semitransparent support. It is characterized by that 21 of those layers contains an emulsion with AgCl 295 mol% and that 21 yellow coupler I (Q = non-metal atoms required to form a 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X =

H, group to be released by coupling reaction with developer oxidation product) is coated in 0.1-2.5 m-mol/m². It shows improved color reproduction, image storage stability, and rapid processability.

IT 465521-04-4
 RL: TEM (Technical or engineered material use); USES (Uses)
 (silver chloride-rich photog. emulsion containing specific yellow coupler)


RN 465521-04-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-((2-ethylhexylthio)phenyl)-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 11 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



L4 ANSWER 12 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:853293 CAPLUS
 DN 139:343426
 TI Silver halide color photographic material containing specific yellow coupler
 IN Takada, Kiyoto; Deguchi, Yasuaki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 74 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 200307801	A2	20031031	JP 2002-112150	20020415
PRAI JP 2002-112150		20020415		
OS MARPAT 139:343426				
GI				




AB In the photog. film comprising a transparent support coated with 23 photosensitive hydrophilic colloidal layers containing Ag halide emulsion with different sensitivity and containing 21 yellow, magenta, and cyan dye-forming couplers, the blue-sensitive Ag halide emulsion layer contains 297 mol% AgCl and average spherical particle size ≤0.62 μm and contains 21 yellow dye-forming coupler I (Q = non-metal atoms required to form 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product), and 21 of anionic or nonionic surfactant. The film may be used for movies. High quality images with good storage stability uniform yellow color are obtained.

IT 465521-04-4
 RL: TEM (Technical or engineered material use); USES (Uses)
 (photog. film containing silver chloride-rich emulsion and yellow coupler)

RN 465521-04-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-(1,1-dimethylethyl)-2-((2-ethylhexylthio)phenyl)-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)

L4 ANSWER 12 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)






L4 ANSWER 13 OF 17 CAPLUS COPYRIGHT 2005 ACS ON STN
 AN 2003:678512 CAPLUS
 DN 139:214479
 TI Preparation of 4-haloalkyl-3-heterocyclylpyridines, 4-haloalkyl-5-heterocyclyl-pyrimidines and 4-trifluoromethyl-3-oxadiazolylpyridines and their use as pesticides
 IN Harmsen, Sven; Bastiaans, Henricus Maria Martinus; Schaper, Wolfgang; Tiebes, Jorg; Doller, Uwe; Jans, Daniela; Sanft, Ulrich; Hempel, Waltraud;
 Thonessen, Maria-theresia; Taapken, Thomas; Rook, Burkhard; Kern, Manfred
 PA Hoechst Schering Agrevo GmbH, Germany
 SO U.S. Pat. Appl. Publ., 90 pp., Cont.-in-part of Ser. No. US 2001-808194, filed on 14 Mar 2001 which is
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 3

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US 2003162812	A1	20030828	US 2002-56274	20020124
US 6699853	B2	20040302		
DE 19725450	A1	19981217	DE 1997-19725450	19970616
US 6239160	B1	20010529	US 1998-96748	19980612
DE 19858193	A1	20000621	DE 1998-19858193	19981217
US 2002013326	A1	20020131	US 2001-808194	20010314
US 6521610	B2	20030218		
PRAI DE 1997-19725450	A	19970616		
US 1998-96748	A3	19980612		
DE 1998-19858193	A	19981217		
US 1999-461792	B3	19991215		
US 2001-808194	A2	20010314		

OS MARPAT 139:214479
 GI

L4 ANSWER 13 OF 17 CAPLUS COPYRIGHT 2005 ACS ON STN (Continued)
 IT insects, spider mites, ectoparasites and helminths.
 218277-34-0P
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation);
 USES
 (Uses)
 (preparation of 4-haloalkyl-3-heterocyclylpyridines, 4-haloalkyl-5-heterocyclyl-pyrimidines and 4-trifluoromethyl-3-oxadiazolylpyridines and their use as pesticides)
 RN 218277-34-0 CAPLUS
 CN 1,2,4-Oxadiazole-3-acetamide, N-[2-(methylthio)phenyl]-5-[4-(trifluoromethyl)-3-pyridinyl]- (9CI) (CA INDEX NAME)





AB Title compds. I [n = 0-1; X = bond, (un)branched alkylene; Y = O, S, SO, SO2, OCO, OCO2, etc.; R = H, (cyclo)alk(en/yn)yl, etc.; with provisions] are prepared. For instance, Me 4-trifluoromethylnicotinate is reacted with isobutyramide oxime (EtOH, NaOEt, 0°) to give II. Selected examples at 300 ppm effected a mortality of 90-100% on Heliothis virescens. I are useful for controlling animal pests, in particular

L4 ANSWER 14 OF 17 CAPLUS COPYRIGHT 2005 ACS ON STN
 AN 2002:752420 CAPLUS
 DN 137:286348
 TI Color photographic light-sensitive material comprising azomethine dye forming coupler
 IN Takeuchi, Kiyoshi; Uehira, Shigeki; Aoki, Mario; Ogasawara, Jun; Shimada, Yasuhiro; Ichijima, Seiji; Deguchi, Yasuaki; Matsuda, Naoto; Ikeda, Akira;
 Mikoehiba, Hieashi; Sugai, Masaharu; Katsumata, Taiji
 PA Fuji Photo Film Co., Ltd., Japan
 SO Eur. Pat. Appl., 273 pp.
 CODEN: EPXXDW
 DT Patent
 LA English
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI EP 1246006	A2	20021002	EP 2002-6628	20020325
EP 1246006	A3	20040811		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2003173007	A2	20030620	JP 2002-37488	20020214
US 2003073047	A1	20030417	US 2002-106373	20020327
US 6727053	B2	20040427		
CN 1387087	A	20021225	CN 2002-108474	20020329
US 2004122238	A1	20040624	US 2003-679466	20031007
PRAI JP 2001-97656	A	20010329		
JP 2001-298521	A	20010927		
JP 2001-298660	A	20010927		
JP 2001-299685	A	20010928		
JP 2002-37488	A	20020214		

OS MARPAT 137:286348
 GI


L4 ANSWER 14 OF 17 CAPLUS COPYRIGHT 2005 ACS ON STN (Continued)
 -C(R11)-C(R12)-SO2-; R11 and R12 bond with each other to form together with the -C=C-moiety, a 5-7-membered ring, or they each represent a hydrogen atom or a substituent; R1, R3, R4 = substituent; m = 0-4; X represents a hydrogen atom or a group that splits off upon a coupling reaction with an oxidized product of a developing agent) with the proviso that the compd. of the formula II is excluded from the dye-forming coupler
 of formula I. Also disclosed is a silver halide photog. light-sensitive material contg. the coupler, and an azomethine dye that can be derived from the dye-forming coupler. The present invention provides color photog. light-sensitive materials including photog. paper that exhibit a high color-forming purity, and in addn. they are excellent in fastness to humidity and heat.
 IT 465521-04-4
 RL: TEM (Technical or engineered material use); USES (Uses)
 (coupler; photog. paper comprising azomethine dye forming coupler)
 RN 465521-04-4 CAPLUS
 CN 2H-1,2,4-Benzothiadiazine-3-acetamide, α-(5,5-dimethyl-2,4-dioxo-3-oxazolidinyl)-N-[5-[(1,1-dimethylethyl)-3-[(2-ethylhexyl)thio]phenyl]-2-octadecyl-, 1,1-dioxide (9CI) (CA INDEX NAME)



AB Disclosed are a dye-forming coupler of general formula I (Q =


L4 ANSWER 15 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2000:420911 CAPLUS
 DN 131:54868
 TI Preparation of 4-haloalkyl-3-heterocyclylpyridines and
 4-haloalkyl-5-heterocyclylpyrimidines as repellents
 IN Knauf, Werner; Chapple, Andrew Charles; Wojtech, Eva; Rook, Burkhard
 PA Aventis CropScience GmbH, Germany
 SO PCT Int. Appl., 153 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2000035285	A1	20000622	WO 1999-EP9949	19991215
W: AE, AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CR, CU, CZ, DM, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KP, KR, KZ, LC, LK, LR, LT, LV, MA, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GM, ML, MR, NE, SN, TD, TG				
DE 19858191	A1	20000621	DE 1998-19858191	19981217
PRAI DE 1998-19858191	A	19981217		
OS MARPAT 131:54868				
GI				



AB The title compds. I (Q = (un)substituted 5-membered heterocyclyl; Y = haloalkyl; X = CH or N; m = 0 or 1) are prepared as repellents against insects, spider mites, ectoparasites, helminths, etc.
 IT 218277-34-OP
 RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation as insect repellent)
 RN 218277-34-0 CAPLUS
 CN 1,2,4-Oxadiazole-3-acetamide, N-[2-(methylthio)phenyl]-5-[4-(trifluoromethyl)-3-pyridinyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 15 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RE.CNT 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 16 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1999:9849 CAPLUS
 DN 130:66513
 TI Preparation of 4-haloalkyl-3-heterocyclylpyridines and
 4-haloalkyl-5-heterocyclylpyrimidines as pesticides.
 IN Tiebes, Jorg; Taapken, Thomas; Rook, Burkhard; Kern, Manfred; Sanft, Ulrich
 PA Hoechst Schering Agrevo G.m.b.H., Germany
 SO PCT Int. Appl., 144 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 FAN.CNT 3

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 9857969	A1	19981223	WO 1998-EP3321	19980603
W: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KG, KP, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
DE 19725450	A1	19981217	DE 1997-19725450	19970616
CA 2294888	AA	19981223	CA 1998-2294888	19980603
AU 9886243	A1	19990104	AU 1998-86243	19980603
AU 754182	B2	20021107		
EP 991648	A1	20000412	EP 1998-937442	19980603
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, PT				
TR 9903102	T2	20000421	TR 1999-9903102	19980603
JP 2002504127	T2	20020205	JP 1999-503659	19980603
CN 1102149	B	20030226	CN 1998-806236	19980603
BR 9810139	A	20000808	BR 1998-10139	19980606
TW 508352	B	20021101	TW 1998-87109414	19980612
ZA 9805180	A	19981217	ZA 1998-5180	19980615
PRAI DE 1997-19725450	A	19970616		
WO 1998-EP3321	W	19980603		
GI				



AB Title compds. I; Q = specified (substituted) 5-membered heterocyclyl; Y = haloalkyl; X = CH, N; m = 0, 1, were prepared. Thus, Me 4-trifluoromethylnicotinate and isobutyramide oxime were refluxed in EtOH to give 3-isopropyl-5-(4-trifluoromethyl-3-pyridyl)-1,2,4-oxadiazole.
 The latter at 300 ppm gave 90-100% control of Aphis fabae on beans.
 IT 218277-34-OP
 RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

L4 ANSWER 16 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
 (prepn. of 4-haloalkyl-3-heterocyclylpyridines and 4-haloalkyl-5-heterocyclylpyrimidines as pesticides)
 RN 218277-34-0 CAPLUS
 CN 1,2,4-Oxadiazole-3-acetamide, N-[2-(methylthio)phenyl]-5-[4-(trifluoromethyl)-3-pyridinyl]- (9CI) (CA INDEX NAME)




RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 17 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1991:228940 CAPLUS
 DN 114:228940
 TI Process for amidation of (heterocyclyl)acetates with anilines using
 anionic azole catalysts
 IN Bergthaller, Peter
 PA Agfa-Gevaert A.-G., Germany
 SO Ger. Offen., 3 pp.
 CODEN: GWXXBX
 DT Patent
 LA German
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI DE 3920924	A1	19910103	DE 1989-3920924	19890627
PRAI DE 1989-3920924		19890627		

 OS MARPAT 114:228940
 GI For diagram(s), see printed CA Issue.
 AB QCH2CONHA [A = (substituted) Ph; Q = ketone residue, heterocyclic
 electron
 accepting group] were prepared by condensation of QCH2CO2OR (R = alkyl)
 with
 ANH2 in the presence of catalytic cyclic amine I [Z = atoms to complete
 an
 (anelated) 5-membered ring containing 2-3 N atoms] in anionic form.
 Thus, a
 mixture of 2-amino-2'-cyclohexyl di-Ph ether, Et quinazoline-2-acetate,
 2-methylimidazole, and xylene at 150° was treated over 2 h with 30%
 NaOMe; the mixture was stirred for a further 1 h to give amide II.
 IT 133806-85-69
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, anionic azole catalysts in)
 RN 133806-85-6 CAPLUS
 CN 2-Quinazolineacetamide, N-[2-(hexadecylthio)phenyl]-1,4-dihydro-4-oxo-
 (9CI) (CA INDEX NAME)



=> => d que l12 stat

L5	246	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	"TAKEUCHI KIYOSHI"/AU
L6	163	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	"SETO NOBUO"/AU
L7	137	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	"YONEYAMA HIROYUKI"/AU
L8	47	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	"SANO SATOSHI"/AU
L9	341	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	"SHIMADA YASUHIRO"/AU
L10	6	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	"UEHIRA SHIGEKI"/AU
L11	897	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	L5 OR L6 OR L7 OR L8 OR L9 OR L10
L12	67	SEA	FILE=CAPLUS	ABB=ON	PLU=ON	L11 AND (YELLOW COUPLER)

=> d 1-67 bib abs

L12 ANSWER 1 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:1019613 CAPLUS

DN 142:13612

TI Silver halide color photographic photosensitive paper and image-forming method

IN Seto, Nobuo; Makuta, Toshiyuki; Sakai, Hidekazu; Yoneyama, Hiroyuki; Ichinose, Tomonori

PA Fuji Photo Film Co., Ltd., Japan

SO U.S. Pat. Appl. Publ., 109 pp.

CODEN: USXXCO

DT Patent

LA English

FAN. CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004234908	A1	20041125	US 2004-842905	20040511
	JP 2004334128	A2	20041125	JP 2003-133509	20030512
	JP 2004334134	A2	20041125	JP 2003-133667	20030512
	JP 2004361936	A2	20041224	JP 2004-141419	20040511
PRAI	JP 2003-133163	A	20030512		
	JP 2003-133509	A	20030512		
	JP 2003-133667	A	20030512		

OS MARPAT 142:13612

AB A silver halide color photog. photosensitive material comprises in at least one layer on a support, at least one yellow dye-forming coupler which has a microhardness value of ≤ 200 when forming a polymerized film and contains at least three alkenylcarbonyl groups in the mol. The use of the yellow coupler and the additive(s) defined in the present invention, in combination, give photosensitive materials excellent in image fastness.

L12 ANSWER 2 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:1018972 CAPLUS

DN 142:29916

TI Silver halide color photographic material containing yellow dye-forming coupler and method of forming image

IN Makuta, Toshiyuki; Sakai, Shuichi; Seto, Nobuo; Yoneyama, Hiroyuki; Ichinose, Tomonori

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 138 pp.

CODEN: JKXXAP

DT Patent


LA Japanese

FAN. CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2004334128	A2	20041125	JP 2003-133509	20030512
	US 2004234908	A1	20041125	US 2004-842905	20040511
PRAI	JP 2003-133163	A	20030512		
	JP 2003-133509	A	20030512		
	JP 2003-133667	A	20030512		

OS MARPAT 142:29916

GI



I

AB Disclosed is the silver halide color photog. material which contains in the same layer 21 yellow dye-forming coupler I (Q = nonmetallic atomic group forming 5-7-membered ring; R1,2 = substituent; m = 0-5; and X = H, leaving group upon coupling reaction) and a compound having a microhardness value ≤ 200 during the polymer film formation and containing 23 alkenylcarbonyl groups. Also disclosed is the process, in which the color development is carried out in 10-20 s and the exposure is carried out at 1 + 10-8 - 1 + 10-4 s per a pixel.

L12 ANSWER 3 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:904417 CAPLUS

DN 141:386308

TI Silver halide photographic papers containing specific yellow coupler

IN Yoneyama, Hiroyuki; Makuta, Toshiyuki; Seto, Nobuo; Takeuchi, Kiyoshi

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 150 pp.

CODEN: JKXXAP

DT Patent



LA Japanese

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2004302302	A2	20041028	JP 2003-97156	20030331
PRAI	JP 2003-97156		20030331		

OS MARPAT 141:386308

GI



II

AB The title photog. paper has each yellow, magenta, and cyan color developing photog. emulsion layers on a support, wherein the yellow photog. emulsion layer contains coupler I (Q = -N-C-N(R1); R1,2 = substituent; m = integer 0-5; X = H, leaving group), II (R61-64 = H, aliphatic group; X61 = H, aliphatic, acyl, etc.), and hydroxyphenyl compound. The paper is suitable for fast processing and provides images of good color, good storageability.

L12 ANSWER 4 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:842105 CAPLUS

DN 141:332224

TI Preparation of α -(2-alkyl-1,2,4-benzothiadiazine-1,1-dioxide-3-yl)acetanilides

IN Takeuchi, Kiyoshi

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 22 pp.

CODEN: JKXXAP

DT Patent


LA Japanese

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2004284979	A2	20041014	JP 2003-78797	20030320
PRAI	JP 2003-78797		20030320		

OS MARPAT 141:332224

GI




I

AB The acetanilides I (R1 = alkyl; R2, R3 = substituent, X = substituent bonded via N, O, or S; m = 0-5; n = 0-4) useful as photog. yellow couplers, dye intermediates, etc. (no data), are prepared by treatment of I (R1-R3, m, n = same as above; X = H) with 1,3-dichloro-5,5-dimethylhydantoin (II), and treatment of the resulting I (R1-R3, m, n = same as above; X = Cl) with nucleophiles HX (X = substituent bonded via N, O, or S). Thus, I [R1 = 3-(2,4-di-tert-pentylphenoxy)propyl, R2 = H, R3 = 2,5-OMe, X = H, m = 2, n = 0] was chlorinated with II and treated with 5,5-dimethyl-1,3-oxazolidine-2,4-dione to give 87.8% I [R1 = 3-(2,4-di-tert-pentylphenoxy)propyl, R2 = H, R3 = 2,5-OMe, X = 5,5-dimethyl-1,3-oxazolidine-2,4-dion-1-yl, m = 2, n = 0].

L12 ANSWER 5 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:612323 CAPLUS
 DN 141:148027
 TI Silver halide color photographic material containing yellow dye-forming coupler for improved rapid development
 IN Makuta, Toshiyuki; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi
 : Sato, Nobuo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 149 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004212672	A2	20040729	JP 2002-382505	20021227
PRAI JP 2002-382505		20021227		
OS MARPAT 141:148027				
GI				



AB Disclosed is the Ag halide color photog. material containing Z1 yellow dye-forming coupler represented by I (Q = nonmetallic atomic group forming 5-7-membered ring with N=C-N(R1); R1 = C4-8 alkyl; R2 = substituent; R4 = primary alkyl; m = integer 0-4; and X = leaving group upon coupling reaction) and Z1 compound represented by II (R1b = aliphatic, aryl, etc.; R2b-b5 = H, halo, hydroxy, aliphatic, etc.).

L12 ANSWER 6 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:605904 CAPLUS
 DN 141:148019
 TI Silver halide color photographic material containing yellow dye-forming coupler for improved rapid development
 IN Makuta, Toshiyuki; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi
 : Sato, Nobuo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 141 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004212669	A2	20040729	JP 2002-382452	20021227
PRAI JP 2002-382452		20021227		
OS MARPAT 141:148019				
GI				



AB Disclosed is the Ag halide color photog. material containing Z1 yellow dye-forming coupler represented by I (Q = nonmetallic atomic group forming 5-7-membered ring with N=C-N(R1); R1,2 = substituent; m = integer 0-5; and X = leaving group upon coupling reaction) and Z1 compound represented by II (R = aliphatic).

L12 ANSWER 7 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:451056 CAPLUS
 DN 141:14417
 TI Silver halide color photographic materials showing excellent storage stability and high sensitivity
 IN Ikeda, Akira; Hosokawa, Junichiro; Takeuchi, Kiyoshi; Ishiwata, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 93 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004157266	A2	20040603	JP 2002-321838	20021105
PRAI JP 2002-321838		20021105		
OS MARPAT 141:14417				
GI				



AB The photog. material contains an amide yellow coupler I [R1 = substituent excluding H; Q = nonmetallic atomic group forming 5-7-membered rings with N=C-N(R1); R2 = substituent excluding H; m = 0-5; R2 may be the same or different from each other when m ≥ 2; Z2 R2 may form a ring; X = H, eliminating group upon coupling reaction with oxidized form of developers; and a sensitizer containing Z3 hetero atoms.

L12 ANSWER 8 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:310396 CAPLUS
 DN 140:329461
 TI Silver halide color photographic material containing yellow coupler for improved storage stability
 IN Sato, Nobuo; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 103 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2004117997	A2	20040415	JP 2002-283093	20020927
PRAI JP 2002-283093		20020927		
OS MARPAT 140:329461				
GI				




AB Disclosed is the silver halide color photog. material containing a yellow coupler which is represented by I (Q = nonmetallic atomic group forming 5-7-membered ring with R1; R1,2 = substituent; R4 = secondary or tertiary alkyl; m = integer 0-5; and X = coupling group).

L12 ANSWER 9 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:307742 CAPLUS
 DN 140:347398
 TI Photographic yellow coupler showing excellent light fastness and silver halide color photographic paper
 IN Uedaira, Shigeo; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 40 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004118109	A2	20040415	JP 2002-284385	20020927
JP 2002-284385		20020927		

 OS MARPAT 140:347398
 GI




AB The title coupler is represented by a general formula I (R1-3 = substituent; n = 0-4; X = H, group capable of leaving upon coupling reaction with oxidized development agent). 5 Synthetic examples and 3 photog. paper examples are given.

L12 ANSWER 10 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:305584 CAPLUS
 DN 140:347397
 TI Yellow coupler and silver halide photographic material
 IN Seto, Nobuo; Yoneyama, Hiroyuki
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 115 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004117987	A2	20040415	JP 2002-283005	20020927
JP 2002-283005		20020927		

 OS MARPAT 140:347397
 GI



AB Disclosed is the yellow coupler which is represented by I (Q = nonmetallic atomic group forming 5-7-membered ring with R1; R1,2 = substituent; m = integer 0-5; and X = coupling group) and contained in ≥ 1 layer formed on a support of the Ag halide photog. material for an improved color stability.

L12 ANSWER 11 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2004:92364 CAPLUS
 DN 140:154385
 TI Cinematographic silver halide photographic films and method for image formation using the same
 IN Takada, Kiyoto; Deguchi, Yasuaki; Takeuchi, Kiyoshi; Mimaki, Yasunori; Yamada, Makoto
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 154 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004037544	A2	20040205	JP 2002-190701	20020628
JP 2002-190701		20020628		

 AB The title film has silver halide emulsion layers containing yellow, magenta, and cyan couplers and light-insensitive hydrophilic colloid layers on a transparent support, wherein the total Ag content in the film is ≤ 1.9 g/m², wherein the silver halide in the yellow coupler-containing silver halide emulsion layer contains ≥ 98 mol% silver chloride. The half peak width of the longest wavelength peak of the normalized spectral distribution curve for yellow, magenta, and cyan are ≤ 36 nm, ≤ 36 nm, and ≤ 56 nm. The film shows good processing characteristics and provides high quality images.

L12 ANSWER 12 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2003:853306 CAPLUS
 DN 139:356004
 TI Silver halide color photographic material containing specific yellow coupler and image formation
 IN Yokokawa, Takuya; Deguchi, Yasuaki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 69 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2003307822	A2	20031031	JP 2002-112547	20020415
JP 2002-112547		20020415		

 OS MARPAT 139:356004
 GI




AB The material has ≥ 1 blue-sensitive emulsion layer containing a yellow coupler, ≥ 1 green-sensitive emulsion layer containing a magenta coupler, and ≥ 1 red-sensitive emulsion layer containing a cyan coupler on a support. It is characterized by that (1) it is exposed according to digital image information for variable area gradation for the image formation; (b) an image is formed by the maximum d. of each photosensitive layer, but not a gradation part on a continuous tone characteristic curve; or (c) it provides a fine line image with line width ≤ 30 μ m and (2) it contains a yellow coupler I (Q = non-metal atoms required to form 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product). It shows improved color reproduction, stability, and high productivity for the image formation and is useful for area variable color proof.

L12 ANSWER 13 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN
 AN 2003:853305 CAPLUS
 DN 139:343427
 TI Silver halide photographic material containing yellow coupler and surfactant
 IN Deguchi, Yasuaki; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 70 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT	1	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2003307821	A2	20031031	JP 2002-111867	20020415	
PRAI	JP 2002-111867		20020415			
OS	MARPAT 139:343427					
GI						




AB The material, having ≥ 1 blue-sensitive emulsion layer containing a yellow coupler, ≥ 1 green-sensitive emulsion layer containing a magenta coupler, and ≥ 1 red-sensitive emulsion layer containing a cyan coupler on a support, contains a yellow coupler I (Q = non-metal atoms required to form 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product), and ≥ 1 of anionic or nonionic surfactant. The film gives high d. images with good color reproduction and good storage stability.

L12 ANSWER 14 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN
 AN 2003:853303 CAPLUS
 DN 139:356002
 TI Silver halide color photographic material containing specific yellow coupler
 IN Matsumoto, Atsushi; Deguchi, Yasuaki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 45 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT	1	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2003307819	A2	20031031	JP 2002-111275	20020412	
PRAI	JP 2002-111275		20020412			
OS	MARPAT 139:356002					
GI						




AB The material has ≥ 1 blue-sensitive emulsion layer containing a yellow coupler, ≥ 1 green-sensitive emulsion layer containing a magenta coupler, and ≥ 1 red-sensitive emulsion layer containing a cyan coupler on a transparent or semitransparent support. It is characterized by that ≥ 1 of those layers contains an emulsion with AgCl 295 mol% and that ≥ 1 yellow coupler I (Q = non-metal atoms required to form a 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product) is coated in 0.1-2.5 m-mol/m². It shows improved color reproduction, image storage stability, and rapid processability.

L12 ANSWER 15 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN
 AN 2003:853293 CAPLUS
 DN 139:343426
 TI Silver halide color photographic material containing specific yellow coupler
 IN Takada, Kiyoto; Deguchi, Yasuaki; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 74 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT	1	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2003307801	A2	20031031	JP 2002-112150	20020415	
PRAI	JP 2002-112150		20020415			
OS	MARPAT 139:343426					
GI						




AB In the photog. film comprising a transparent support coated with ≥ 1 photosensitive hydrophilic colloidal layers containing Ag halide emulsion with different sensitivity and containing ≥ 1 yellow, magenta, and cyan dye-forming couplers, the blue-sensitive Ag halide emulsion layer contains ≥ 97 mol% AgCl and average spherical particle size $\leq 0.62 \mu\text{m}$ and contains ≥ 1 yellow dye-forming coupler I (Q = non-metal atoms required to form 5- to 7-membered ring with N:CNR1; R1, R2 = substituent; m = 0-5; X = H, group to be released by coupling reaction with developer oxidation product), and ≥ 1 of anionic or nonionic surfactant. The film may be used for movies. High quality images with good storage stability uniform yellow color are obtained.

L12 ANSWER 16 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN
 AN 2003:834239 CAPLUS
 DN 139:343421
 TI Silver halide photographic material containing specific yellow coupler
 IN Fukuzawa, Hiroshi; Takeuchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 57 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT	1	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2003302733	A2	20031024	JP 2002-110233	20020412	
PRAI	JP 2002-110233		20020412			
OS	MARPAT 139:343421					
GI						



AB In the photog. material comprising a support coated with ≥ 1 blue-, ≥ 1 green-, and ≥ 1 red-sensitive layers, ≥ 1 of the layer contains UV absorbent and ≥ 1 of the blue-sensitive layer contains ≥ 1 yellow coupler I (Q = nonmetal atom to form 5- to 7-membered ring together with N:CNR1; R1 = substituent; m = 0-5; X = H, group releasable by coupling reaction with developer oxide). The material give images with good color reproduction and fastness.

L12 ANSWER 17 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:834237 CAPLUS

DN 139:330246

TI Image duplication of silver halide photographic material containing specific yellow coupler

IN Matsuda, Naoto; Takeuchi, Kiyoshi; Ikeda, Akira; Deguchi, Yasuaki; Kakinuma, Akihiro; Ohara, Yoshiya

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 48 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003302731	A2	20031024	JP 2002-110227	20020412
PRAI JP 2002-110227		20020412		
OS MARPAT 139:330246				

GI



I

AB Duplication of an image formed by developing Ag halide photog. material containing 21 coupler I [Q = nonmetal atom to form 5-to 7-membered ring together with N:CNR1; R1 = substituent; m = 0-5; X = H, group releasable by coupling reaction with developer oxide] is claimed. Duplicated image with good color reproduction is obtained.

L12 ANSWER 18 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:793588 CAPLUS

DN 139:292277

TI Preparation of 1,2,4-benzothiadiazine-1,1-dioxide compounds

IN Takeuchi, Kiyoshi; Motoki, Masushi

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 13 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003286272	A2	20031010	JP 2002-89721	20020327
PRAI JP 2002-89721		20020327		
OS MARPAT 139:292277				

GI



II

AB The title compds. I [R1 = (un)substituted alkyl, aryl; R2, R3 = substituent; n = 0-4; if n ≥ 2, then 21 R2 groups may be bonded together to form a ring], useful as intermediates for photog. yellow couplers, dyes, drugs, agrochems., electronic materials, etc., are prepared by treating 2-aminobenzenesulfonamides II (R1, R2, n = same as above) with R3CH2C(=NH)OR4 [R3 = same as above; R4 = (un)substituted alkyl]. An EtOH solution of 2-H2NC6H4SO2NHMe and EtOC(=NH)CH2CO2Et.HCl (III) was stirred under reflux for a day and the reaction mixture was further treated with another III under reflux for 1 day to give 73.3% I (R1 = Me, R3 = CH2CO2Et, n = 0).

L12 ANSWER 19 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:693236 CAPLUS

DN 139:221535

TI Silver halide color photographic light-sensitive material such as photographic paper containing specific yellow photographic coupler

IN Sato, Nobuo; Yoneyama, Hiroyuki; Takeuchi, Kiyoshi; Uehira, Shigeki; Ikeda, Akira; Matsuda, Naoto

PA Fuji Photo Film Co., Ltd., Japan

SO Eur. Pat. Appl., 97 pp.

CODEN: EPXXDW


DT Patent

LA English

FAN.CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI EP 1341034	A1	20030903	EP 2003-4333	20030228
R1: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2003322931	A2	20031114	JP 2002-92878	20020328
JP 2003322932	A2	20031114	JP 2002-92912	20020328
JP 2003322933	A2	20031114	JP 2002-92955	20020328
JP 2003322934	A2	20031114	JP 2002-95836	20020329
JP 2003322935	A2	20031114	JP 2002-95865	20020329
JP 2003322936	A2	20031114	JP 2002-107130	20020409
JP 2003322939	A2	20031114	JP 2002-170609	20020611
US 2004091825	A1	20040513	US 2003-373653	20030226
JP 2003322940	A2	20031114	JP 2003-54828	20030228
PRAI JP 2002-56655	A	20020301		
JP 2002-92955	A	20020328		
JP 2002-92878	A	20020328		
JP 2002-92912	A	20020328		
JP 2002-95836	A	20020329		
JP 2002-95865	A	20020329		
OS MARPAT 139:221535				

GI



I

AB A the invention relates to a silver halide color photog. light-sensitive material comprising a yellow dye-forming coupler represented by the following formula I, in combination with at least one specific additive, in at least one layer provided on a support: wherein, in formula I, Q represents a group of non-metal atoms that form a 5- to 7-membered ring

in combination with the -N = C-N(R1)-; R1 and R2 represent a substituent; m represents an integer of 0 to 5; and X represents a hydrogen atom, or a group capable of being split-off upon a coupling reaction with an oxidized product of a developing agent. The photog. material shows the good image storageability.

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 19 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

L12 ANSWER 20 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:258058 CAPLUS

DN 138:256580

TI Azomethine yellow dyes with good acid fastness

IN Takeuchi, Kiyoshi; Kamihira, Shigeo

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 19 pp.



CODEN: JKXXAF

DT Patent

LA Japanese

FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003096325	A2	20030403	JP 2001-293279	20010926
US 2003125556	A1	20030703	US 2002-254599	20020926
US 6620933	B2	20030916		
PRAI JP 2001-293279	A	20010926		
OS MARPAT 138:256580				
GI				



AB The dyes, useful for yellow couplers, jet-printing ink, thermal transfer printing ink, etc., are I (R1-R3, R5-R7 = H, substituent; m = 0-3; n = 0-4; when m is 2, plural R3 may be same, different, or form rings together or with R1 or R2; when n is 2, plural R7 may be same, different, or form rings together or with R5 or

R6; R4 = aryl, heterocyclic group). Thus, Me (2,6-dichlorophenyl)hydroxyacetate was cyclocondensed with 2,5-dichlorophenyl isocyanate in the presence of NEC3 to give II, which was reacted with N-ethyl-N-(2-methanesulfonamidoethyl)-3-methyl-4-aminocyaniline sulfate in the presence of NaOH and (NH4)2S2O8 to give III (I where R1 = R2 = Cl, R3 = H, R4 = 2,5-dichlorophenyl; R5 = Et, R6 = CH2CH2NHSO2Me, R7 = 1-Me, n = 1) showing mol. extinction coefficient 2.11 + 104. Then, 15 mL of III/NMP solution was mixed with 10 mL phosphate-buffered solution (pH

1.15) to give a test solution showing light absorption retention 97% after storage at 60° for 4 h.

L12 ANSWER 21 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:132751 CAPLUS

DN 138:178168

TI Silver halide color photographic materials and storage stable

yellow couplers therein

IN Uedaira, Shigeo; Takeuchi, Kiyoshi

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 59 pp.


CODEN: JKXXAF

DT Patent

LA Japanese

FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003050449	A2	20030221	JP 2002-150822	20020524
US 2003104324	A1	20030605	US 2002-157066	20020530
US 6660465	B2	20031209		
PRAI JP 2001-167153	A	20010601		
OS MARPAT 138:178168				
GI				



AB Yellow couplers I [R = CONHR2, CO2R2, COR2, R3; R1 = (un)substituted acyl, aryl, heterocycle, alkoxy carbonyl, aryloxy carbonyl, carbamoyl, sulfamoyl, alkylsulfonyl, arylsulfonyl, cyano, nitro; R2 = (un)substituted alkyl, aryl, heterocycle; R3 = (un)substituted aryl, heterocycle; R4 = substitutional group; n = integer of 0-2; L = bivalent bonding group; k = integer of 20] are claimed. Further specified Markush structures for the couplers are also given. Dense and clear color photog. images are obtained with excellent color reproduction

L12 ANSWER 20 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

L12 ANSWER 22 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:113106 CAPLUS

DN 138:161017

TI Silver halide color photographic material for color proof, its

processing,

and image formation

IN Okazaki, Kentaro; Yoneyama, Hiroyuki; Soejima, Susumu

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 89 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2003043604	A2	20030213	JP 2001-232955	20010731
PRAI JP 2001-232955		20010731		
OS MARPAT 138:161017				

AB The material for image formation on variable area modulated digital image data, has at least Ag halide emulsion layers containing a cyan, a magenta, and

a yellow coupler, resp., in which each emulsion is a surface latent image type. The emulsion in 21 of the layers contains AgCl 290 mol%, chemical sensitized (1) with a gold compound in the presence of 21 of R21SO2SM21, R22SO2M22 (R21, R22 = aliphatic, aromatic, or heterocyclic group; M21, M22 = cation), and R31SSR32 (R31,

R32 = aliphatic or aromatic group; R31 and R32 may form a ring) at 10-9 to 10-4 mol/Ag-mol or (2) in the presence 10-10 to 10-4 mol/Ag-mol of an inorg. S and the gold compound. The material is processed with a bleach-fixing bath

containing 1 + 10-2 to 2 mol/L bromide ion and/or 5 + 10-4 to 5 + 10-2 mol/L iodide ion. An image with format 2A3 size is formed by using the obtained material and the above processing. The material shows high productivity for image formation and improved color and dot reproduction quality. digital image data.

L12 ANSWER 23 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:918489 CAPLUS

DN 138:17985
TI Silver halide color photographic paper showing excellent yellow color reproduction
IN Deguchi, Yasuaki; Soejima, Susumu; Yoneyama, Hiroyuki
PA Fuji Photo Film Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 60 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002351023	A2	20021204	JP 2001-154667	20010523
PRAI	JP 2001-154667		20010523		
OS	MARPAT 138:17985				

AB After the color development process, the unexposed areas of the title photog. paper show reflection densities of 50.08, 50.10, and 50.08 at 450, 550, and 650 nm, resp., and the photog. paper contains a specified yellow coupler(s) showing a specified spectral distribution curve. The photog. paper also contains a specified pigment(s). The photog. paper, especially suitable for digital colorproofs, shows excellent white background, and color reproduction

L12 ANSWER 24 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:827801 CAPLUS


DN 137:343833
TI Imidazole derivative photographic yellow coupler and silver halide photographic material
IN Shimada, Yasuhiro
PA Fuji Photo Film Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 28 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002318445	A2	20021031	JP 2001-125024	20010423
PRAI	JP 2001-125024		20010423		
OS	MARPAT 137:343833				

GI



AB Yellow dye-forming coupler I (Q = nonmetal atoms to form N-containing heterocycle; R, R' = substituent) and silver halide photog. material containing I are claimed. The releasing group of the coupler functions as a dye chromophore, and the coupler gives a dye with high mol. extinction coefficient and clear hue.

L12 ANSWER 25 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN


AN 2002:827800 CAPLUS
DN 137:343832
TI Yellow dye-forming coupler and silver halide photographic material
IN Shimada, Yasuhiro
PA Fuji Photo Film Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 24 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002318444	A2	20021031	JP 2001-125012	20010423
PRAI	JP 2001-125012		20010423		
OS	MARPAT 137:343832				

GI



AB The yellow coupler I (Q = nonmetal atoms to form N-containing heterocycle; R = substituent) and Ag halide photog. material containing I are claimed. The releasing group of the coupler functions as a dye chromophore, and the coupler gives a dye with high mol. extinction coefficient and clear hue.

L12 ANSWER 26 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2002:792277 CAPLUS
DN 137:317823
TI Photographic coupler, silver halide photographic material, and manufacture of azomethine dye


IN Uehira, Shigeo; Takeuchi, Kiyoshi; Shimada, Yasuhiro
PA Fuji Photo Film Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 37 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002302492	A2	20021018	JP 2001-102014	20010330
PRAI	JP 2001-102014		20010330		
OS	MARPAT 137:317823				

GI




AB The coupler is I (Y = atoms comprising C and/or N atom forming 5- to 6-membered ring; R = substituent; m = 0-4; X = substituent). The photog. material contains 21 above coupler. The dye is manufactured by reacting I with p-phenylenediamine. The coupler showed improved hue and high molar absorption coefficient, the photog. material doing improved color development and light stability and the dye doing improved hue and storage stability.

L12 ANSWER 27 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:768220 CAPLUS
 DN 137:302077
 TI Photographic yellow coupler, silver halide color photographic material, and azomethine dye
 IN Shimada, Yasuhiro; Uehira, Shigeo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 22 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002296739	A2	20021009	JP 2001-101085	20010330
PRAI	JP 2001-101085		20010330		
OS	MARPAT 137:302077				
GI					



AB The invention relates to a photog. yellow coupler represented by I (Q = nonmetal atoms for completing N-containing ring; R

substituent; Het = heterocycle; X = H, group capable of leaving upon coupling reaction with oxidized development agent) and also to a photog. material containing the yellow coupler. The invention also relates to an azomethine dye represented by II (Q = nonmetal atoms for completing N-containing ring; R = substituent; Het = heterocycle; Ar = aryl) for a photog. material. The photog. material shows excellent color hue, coloring, and lightfastness.


L12 ANSWER 29 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:313322 CAPLUS
 DN 136:348326
 TI Silver halide color photographic material and methods for treatment of the

material, for image formation, and for formation of color proof
 IN Takahashi, Osamu; Yoneyama, Hiroyuki; Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 92 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002122969	A2	20020426	JP 2000-315963	20001016
PRAI	JP 2000-315963		20001016		
OS	MARPAT 136:348326				
GI					



AB The photog. material involves a cyan coupler-containing Ag halide emulsion layer, a magenta coupler-containing Ag halide emulsion layer, and a yellow coupler-containing Ag halide emulsion layer on a support, which satisfies equations regarding wavelength corresponding to absorbance and maximum absorbance in spectrophotometry curve of the material after exposure and development using aminoanilines I (R1, R2 = (substituted) alkyl; R3 = substituent) as a main developer. The material after exposure is bleached with a liquid containing 1 + 10⁻² mol bromide ion and/or 5 + 10⁻⁴ + 5 + 10⁻² mol iodide ion. The material is scan for 5103 s for exposure and developed. The color proof is manufactured by exposure and development of the above material according to color-separated yellow image information, magenta image information, cyan image information, and black image information. The process is suitable for manufacture of so-called direct digital color proof.

L12 ANSWER 28 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:768215 CAPLUS
 DN 137:286351
 TI Silver halide color photographic material and image and color proof formation
 IN Fukushima, Susumu; Yoneyama, Hiroyuki; Okazaki, Kentaro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 98 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002296719	A2	20021009	JP 2001-102590	20010330
PRAI	JP 2001-102590		20010330		
OS	MARPAT 137:286351				
GI					

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *


AB The material has 21 Ag halide emulsion layer containing cyan, magenta, and yellow coupler, resp. and 21 light insensitive hydrophilic colloid layer without color formation. At least one emulsion layer contains Ag halide grains with AgCl content 295 mol%, I (R2 = substituent; n = 1-4) and II (R1-4 = H, alkyl, aryl; R5 = aryl; sum of C number of R1-5 > 13), where (B + C)/A is 20.2 mol ratio (A = total coating volume of the couplers; B = that of I; C = that of II) and the coupler is not III (Ar = Ph having 21 halo, alkyl, alkoxy, cyano, alkoxy carbonyl, Y = alkoxy, halo; R1 = acylamino, sulfonamide, alkoxy carbonyl carbamoyl, sulfamoyl, imide, halo alkoxy, alkyl, alkylthio, m = 1-4; X = H, releasing group after coupling with oxidized aromatic primary amine). An image is formed by scanning-exposing the material for time 510:3 s/pixel and then processing it with a color developer containing N-ethyl-N-(8-methanesulfonamido ethyl)-3-methyl-4-aminoaniline. A color proof image is formed by exposing the material using 21 light source units with each different wavelength, in which 21 unit comprises multiple sources selected from lasers and light emitting diodes having same wavelength, resp. The material showed rapid processability, reduced processing variation, and improved whiteness and sharpness.

L12 ANSWER 30 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:265342 CAPLUS
 DN 136:301713
 TI Photographic yellow coupler and silver halide color photographic material
 IN Ogasawara, Atsushi; Uehira, Shigeo; Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 46 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2002107880	A2	20020410	JP 2000-294964	20000927
US	2002064736	A1	20020530	US 2001-962335	20010926
EP	1197799	A1	20020417	EP 2001-122626	20010927
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
CN	1349130	A	20020515	CN 2001-130319	20010927
US	2003229230	A1	20031211	US 2002-270055	20021015
US	6803181	B2	20041012		
US	2005020821	A1	20050127	US 2004-912122	20040806
PRAI	JP 2000-294964	A	20000927		
JP	2000-297609	A	20000928		
JP	2001-101418	A	20010330		
US	2001-962335	B1	20010926		
US	2002-270055	A3	20021015		
OS	MARPAT 136:301713				
GI					




AB The invention relates to a photog. yellow coupler represented a general formula I (W = N-containing heterocycle; Z = substituted aryl; X, Y = O, S, NR; R = substituent). The photog. yellow coupler produces excellent color d. and sharpness and is low cost to manufacture

L12 ANSWER 31 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2002:236311 CAPLUS
 DN 136:254510
 TI Silver halide color photographic film containing new yellow coupler
 IN Shimada, Yasuhiro; Tsukase, Masaaki; Hosokawa, Junichiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 42 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2002090959	A2	20020327	JP 2000-276683	20000912
PRAI JP 2000-276683		20000912		
OS MARPAT 136:254510				

GI



AB The invention relates to a color photog. film which contains new yellow coupler represented by I (R1 = linear unsubstituted C2-10-alkyl; R2 = unsubstituted C6-10-alkyl). The yellow coupler shows excellent color formation and dispersion stability, and is inexpensive to manufacture

L12 ANSWER 32 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2001:741287 CAPLUS
 DN 135:296135
 TI Silver halide color photographic material with faster processing time for cinematography
 IN Tanemura, Hatsumi; Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 71 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2001281782	A2	20011010	JP 2000-99232	20000331
PRAI JP 2000-99232		20000331		
OS MARPAT 135:296135				

AB The title color cinematog. film contains (1) a dye represented by D-Xy [D = chromophore-containing group residue; X = dissociative H, dissociative H-containing group; y = 1-7] in a photosensitive hydrophilic colloidal layer, (2) cubic or dodecahedron Ag halide grains in a photog. emulsion layer, and (3) a yellow coupler represented by Y-CO-C(X)H-CO-NH-Z [Y = N-containing heterocycle; Z = substituted aryl; X = H, group capable of leaving upon reaction with oxidized developer] in a photog. emulsion layer. The cinematog. film shows excellent color quality and faster processing time.

L12 ANSWER 33 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2001:737266 CAPLUS
 DN 135:296120
 TI Color reversal silver halide photographic material with specific yellow coupler
 IN Matsuda, Naoto; Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 52 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2001281814	A2	20011010	JP 2000-89156	20000328
PRAI JP 2000-89156		20000328		
OS MARPAT 135:296120				

GI



AB The invention relates to a color reversal Ag halide photog. material comprised of on a support a blue-sensitive emulsion layer(s), a green-sensitive emulsion layer(s), and a red-sensitive emulsion layer(s), wherein the photog. material contains a yellow coupler represented by a general formula I (R1 = H, substituent; Q1 = nonmetal atoms for forming N-containing ring; X = H, group capable of leaving upon reaction with oxidized developer; Y = substituted aryl) in one of the blue-sensitive emulsion layers and includes a yellow filter layer. The photog. material shows excellent color reproducibility.


L12 ANSWER 34 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2001:737261 CAPLUS
 DN 135:296117
 TI Silver halide color photographic film showing excellent color reproducibility for cinematography
 IN Sakai, Shuichi; Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 67 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2001281781	A2	20011010	JP 2000-99231	20000331
US 2002048733	A1	20020425	US 2001-802984	20010312
US 6518006	B2	20030211		
CN 1315676	A	20011003	CN 2001-109562	20010330
PRAI JP 2000-99231		20000331		

OS MARPAT 135:296117
 AB The title color cinematog. film contains a yellow coupler represented by Y-CO-C(X)H-CO-NH-Z [Y = N-containing heterocycle; Z = substituted aryl; X = H, group capable of leaving upon reaction with oxidized developer] in a photog. emulsion layer and a dye represented by D-Xy [D = chromophore-containing group residue; X = dissociative H, dissociative H-containing group; y = 1-7] in a photosensitive hydrophilic colloidal layer. The cinematog. film shows excellent yellow hue and yellow d.

L12 ANSWER 35 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2001:617234 CAPLUS
 DN 135:187662
 TI Silver halide color photographic emulsion characterized by yellow coupler
 IN Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 16 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN. CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2001228586	A2	20010824	JP 2000-41938	20000218
PRAI JP 2000-41938		20000218		
OS MARPAT 135:187662				
GI				



AB The photog. emulsion contains the claimed yellow coupler I (R1-R4 = H, substituent; R2-R3 may form a ring; Het = heterocycle; X = H, group leaving in reaction with oxidized developer). The photog. emulsion shows good lightfastness.

L12 ANSWER 36 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 2000:223711 CAPLUS
 DN 132:243903
 TI New photographic yellow coupler and silver halide photographic material containing the same
 IN Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 23 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN. CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 2000098559	A2	20000407	JP 1998-273003	19980928
PRAI JP 1998-273003		19980928		
OS MARPAT 132:243903				
GI				



AB The photog. yellow coupler is represented by a general formula I (R1, R2 = electron withdrawing group; R3 = H, substituent; R4 = substituent; m = 1-5; R1 joining together with R2 may form ring; X = H, group capable of cleaving upon reaction with oxidized developing agent). The photog. material containing the above yellow coupler shows excellent light resistance.

L12 ANSWER 37 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1998:119229 CAPLUS
 DN 128:223802
 TI Silver halide photographic material and image formation using it
 IN Okawa, Atsuhiko; Takauchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 87 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN. CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 10048791	A2	19980220	JP 1996-208634	19960807
PRAI JP 1996-208634		19960807		
GI				



AB The title material contains, in Z1 of the photog. constitutive layers on a support, Z1 hydrazone-type color developing agent and Z1 coupler NX21X22COCHZ21CONHY21 or I (X21, X22 = alkyl, aryl, heterocycle; Y21 = aryl or heterocycle; Z21 = H or group releasing upon coupling with oxidized developing agents; X23 = organic residue required to form a N-containing heterocycle). An imaging method is also claimed, in which the material is heat-developed at 60-180° or developed in a solution. The material gives clear yellow images with heat and light resistance.

L12 ANSWER 38 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1997:802345 CAPLUS
 DN 128:121646
 TI Heat development color photosensitive material using novel yellow coupler
 IN Taguchi, Toshiki; Takauchi, Kiyoshi
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 33 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 09325462	A2	19971216	JP 1996-144205	19960606
PRAI JP 1996-144205		19960606		
OS MARPAT 128:121646				
GI				



AB Title material contains, on a support, a photosensitive Ag halide, a binder, a developing agent forming a dye upon coupling of its oxidized product with a coupler, and Z1 couplers selected from I and II (R1 = H or C5-8 alkyl; Z1 = C3-6 alicyclic hydrocarbon; R2 = CN, alkoxy, carbonyl, aryloxy, carbonyl, alkyl, carbamoyl, aryl, carbamoyl, alkyl, carbonyl, aryl, carbonyl, alkyl, sulfonyl, aryl, sulfonyl, alkyl, sulfonyl, heterocycle; Z2 = atom able to form a N-containing heterocycle; Y = H, group releasable upon coupling with oxidized developing agent). The material provides high-quality yellow images with improved discrimination without adverse effects on other photog. properties. Thus, a heat development photosensitive film was prepared by using III for the yellow coupler.

L12 ANSWER 39 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1995:99867 CAPLUS
DN 124:160224
TI Color image-forming method of direct-positive color photographic material with p-phenylenediamine-based developer
IN Ozawa, Takashi; Goto, Masatoshi; Yamada, Kozaburo; Shimada, Yasuhiro
PA Fuji Photo Film Co Ltd, Japan
SO Jpn. Kokai Tokkyo Koho, 44 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07261351	A2	19951013	JP 1994-47328	19940317
PRAI	JP 1994-47328		19940317		

GI For diagram(s), see printed CA issue.

AB The title method involves exposure of a direct-pos. color photog. material

comprising a support coated with λ 1 blue-, λ 1 green-, and λ 1 red-sensitive layers containing unfogged internal latent image-type Ag halide particles and color image-forming couplers, one of which, for the blue-sensitive layer, is a yellow coupler I (R1 = substituent except H; Q = nonmetallic atomic group to form a 3-5-membered hydrocarbon ring or heterocycle containing N, S, O, and/or P; R2 = alkyl, aryl, heterocyclyl; X = H, leaving group by coupling with oxide of color developer; R1 and Q may form a polycycloalkyl group), followed by developing with a benzyl alc.-free color developer containing a p-phenylenediamine derivative. The method gives color images like printed materials.

L12 ANSWER 40 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1995:780374 CAPLUS
DN 123:183370
TI Silver halide color photographic material
IN Makuts, Toshiki; Sato, Nobuo; Yoshioka, Yasuhiro
PA Fuji Photo Film Co Ltd, Japan
SO Jpn. Kokai Tokkyo Koho, 95 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07146532	A2	19950606	JP 1993-315782	19931124
	US 5567578	A	19961022	US 1994-345745	19941122
PRAI	JP 1993-315782	A	19931124		

AB A silver halide color photog. material showing improved color developability and color reproducibility and providing lightfast color images comprises, in λ 1 photosensitive silver halide emulsion layer, λ 1 acylamide yellow coupler, a bisphenol compound, and a compound containing a spiro or bicyclo ring.

L12 ANSWER 41 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1995:76768 CAPLUS
DN 124:41265
TI Silver halide color photographic materials with excellent storage stability
IN Yoneyama, Hiroyuki
PA Fuji Photo Film Co Ltd, Japan
SO Jpn. Kokai Tokkyo Koho, 99 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07159954	A2	19950623	JP 1993-340398	19931209
PRAI	JP 1993-340398		19931209		

GI For diagram(s), see printed CA issue.

AB The title materials contain acylacetamide-type yellow coupler I (R1 = substituent; Q = nonmetal atoms forming 5- or 6-membered ring) and λ 1 stabilizers selected from claimed 7 types of compds. containing N or P in photog. emulsion layers.

L12 ANSWER 42 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1995:753560 CAPLUS
DN 123:156319
TI Silver halide color photographic material and method for forming image
IN Yoshioka, Yasuhiro; Yamada, Kozaburo; Sato, Nobuo
PA Fuji Photo Film Co Ltd, Japan
SO Jpn. Kokai Tokkyo Koho, 75 pp.
CODEN: JKXXAP

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07140608	A2	19950602	JP 1993-309834	19931115
PRAI	JP 1993-309834		19931115		

AB One or more layer on a support contains a yellow dye-forming coupler, AC(:O)CHZC(:O)NHB (A = aromatic, tert-alkyl, secondary or tertiary cycloalkyl, bicycloalkyl, aliphatic amino, aromatic amino, heterocyclyl; B = aromatic heterocyclyl; Z = H, coupling split-off group; A, B, and/or Z contain phosphoryl), and a sp. amido compound. The process uses a scanning exposure method at a scanning speed of 10-4s per one image element. The photog. material exhibited excellent color reproducibility and storage stability.

L12 ANSWER 43 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN

AN 1995:549468 CAPLUS

DN 122:302930

TI Silver halide color photographic material

IN Shono, Akiko; Sato, Nobuo

PA Fuji Photo Film Co., Ltd., Japan

SO U.S., 46 pp.

CODEN: USXXAM

DT Patent

LA English

FAN.CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI US 5399473	A	19950321	US 1992-866461	19920410
JP 05080472	A2	19930402	JP 1991-313074	19911101
PRAI JP 1991-108801	A	19910412		
JP 1991-185396	A	19910628		
JP 1991-313074	A	19911101		

OS MARPAT 122:302930

GI For diagram(s), see printed CA Issue.

AB A Ag halide color photog. material comprises 1 yellow coupler represented by the following formula I, and a compound represented by the following formula II, III, or IV [X3 = an organic residue

required to form a N-containing heterocyclic group together with the >N-, Y = an aryl group or a heterocyclic group, and Z = a non-photog. useful group capable of being released upon a coupling reaction with the oxidized product of a developing agent, R9-R12 = H, alkyl; Y3, Y4 = H, alkyl, aryl,

heterocyclic group, acyl, sulfonyl, silyl; X = single bond, O, S, sulfonyl, -C(R13)(R14)p- (R13, R14 = H, alkyl; p = 2-3); n = 1, 2; R5 and R6 = an alkyl group; m = 0-3; R7 = alkyl, NHR8 (R8 = monovalent organic group); R15 = H, OH, oxy, SOR'5, SO2R'5 (R'5 = alkyl, aryl), alkyl,

alkenyl, COR''5 (R''5 = H, monovalent organic group); R16, R'6, R''6 = alkyl;

R17, R18 = H, O, COR''' (R''' = monovalent organic group), R17-R18 may form a ring; n' = 0-4).

L12 ANSWER 44 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN

AN 1995:451861 CAPLUS

DN 122:201080

TI Photographic material with improved color reproducibility, hue, and lightfastness

IN Sato, Nobuo; Yoshioka, Yasuhiro; Morigaki, Masakazu

PA Fuji Photo Film Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 94 pp.

CODEN: JKXXAF


DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 06266074	A2	19940922	JP 1993-75033	19930310
PRAI JP 1993-75033		19930310		

GI



AB The title photog. material contains ≥ 1 yellow couplers (I) [R1 = 1-alkylcycloalkyl, amino, heterocyclyl; R2 = halo, alkoxy, aryloxy; R3 = substituent; Xm = H, group releasable on coupling with aromatic primary amine-type developing agent; n = 0, 1-4]

and ≥ 1 II [R = H, aliphatic, acyl, sulfonyl; R1, R2 = H, aliphatic aliphatic-oxy, acylamino, aliphatic-oxycarbonyl, aryloxy, carbonyl; R3, R4 = aliphatic, acylamino; R6, R7 = H, aliphatic, aryl; Z = divalent linking group].

L12 ANSWER 45 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN

AN 1995:330666 CAPLUS

DN 122:118795

TI Photographic materials for lightfast images

IN Sato, Nobuo; Yoshioka, Yasuhiro; Morigaki, Masakazu

PA Fuji Photo Film Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 57 pp.

CODEN: JKXXAF


DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 06186710	A2	19940708	JP 1992-354824	19921218
PRAI JP 1992-354824		19921218		

GI



AB The title photog. material contains in ≥ 1 layers ≥ 1 I [R1 = aliphatic-oxy, aromatic-oxy, aliphatic, amino; R2 = substituent; R3, R4 = H, substituent; R1CO, R2-4 may join to form 5-7-membered rings; total C number in mol. is ≥ 15]. A yellow coupler [II; Ra = alkyl, aryl, amino, heterocyclyl; Rb = halo, alkoxy, aryloxy, Rc = substituent; Y = H, group releasable on reacting with aromatic primary amine-type developing agent; k = 0, 1-4; when k ≥ 2 , a multiplicity of the Rcs may be identical] may be present with I.

L12 ANSWER 46 OF 67 CAPLUS COPYRIGHT 2005 ACS ON STN

AN 1994:689503 CAPLUS

DN 121:289503

TI Silver halide color photographic materials with excellent color reproducibility

IN Obayashi, Keiji; Kawagishi, Toshio; Shimada, Yasuhiro

PA Fuji Photo Film Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 110 pp.

CODEN: JKXXAF


DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 06067385	A2	19940311	JP 1992-236333	19920813
PRAI JP 1992-236333		19920813		

GI




AB In the title photog. materials having a red-sensitive Ag halide emulsion layer containing a cyan coupler, a green-sensitive Ag halide emulsion layer containing a magenta coupler, and a blue-sensitive Ag halide emulsion layer containing a yellow coupler on a support, ≥ 1 of said Ag halide emulsion layers contains a cyan coupler represented by I and II, and the photog. materials contain a compound, A-X [A = group releasing X upon reaction with oxidized developing agent and simultaneously forming a compound soluble in a processing solution or forming a color erasing compound; X = precursor residue of developing inhibitor], releasing a precursor of a development inhibitor.

L12 ANSWER 47 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1994:257305 CAPLUS
 DN 120:257305
 TI Silver halide photographic material with good color reproducibility
 IN Shimada, Yasuhiro; Sato, Takehiko
 PA Fuji Photo Film Co Ltd, Japan
 SO Jpn. Kokai Tokkyo Koho, 57 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05134372	A2	19930528	JP 1991-321514	19911111
US 5199473	A	19911111		
JP 1991-185396	A1	19910628		
JP 1991-108801	A	19910412		
JP 1991-313074	A	19911101		

PI JP 05134372
 PRAI JP 1991-321514
 OS MARPAT 120:257305
 GI



AB In a full-color photog. material, the cyan-color forming Ag halide emulsion layer contains 21 cyan couplers (I) (Ra = H, substituent; Rb, Rd substituent; Rc = electron-withdrawing group; Za = H, a substituent which undergoes elimination by a coupling reaction with an oxidized aromatic primary amine developer) and 21 sparingly water-soluble and organic soluble homopolymer and/or copolymer having 235 mol % of repeating units free of acid groups, and the yellow color forming layer contains 21 yellow coupler(s) (II) (R1 = aryl, tert-alkyl; R2 = H, alkyl, aryl, alkoxy, aryloxy, dialkylamino, alkylthio, arylthio; L = O, CO2, NHCO, NHCOCHR4, NHCO(CH2)m, CONH, CONH(CH2)m, CONHCHR4, SO2NR4, SO2NR4(CH2)m, NHSO2, NHSO2(CH2)m; NHSO2, NHSO2(CH2)m; R4 = H, alkyl; m = 1-4; R3 = halo, alkyl, aryl, alkoxy, aryloxy, alkyl-substituted aryl, alkoxy-substituted aryl, alkyl-substituted aryloxy, aralkyloxy; X1 = H, substituent to be eliminated by coupling reaction with an oxidized aromatic primary amine color developer; r = 0-4). The material provides superior color reproducibility, low min. d. and superior durability against intense light and heat.

L12 ANSWER 48 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1994:231769 CAPLUS
 DN 120:231769
 TI Silver halide color photographic material
 IN Shono, Akiko; Sato, Nobuo
 PA Fuji Photo Film Co Ltd, Japan
 SO Jpn. Kokai Tokkyo Koho, 106 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN. CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05080472	A2	19930402	JP 1991-313074	19911101
US 5199473	A	19950321	US 1992-866461	19920410
JP 1991-185396	A1	19910628		
JP 1991-108801	A	19910412		
JP 1991-313074	A	19911101		

PI JP 05080472
 PRAI JP 1991-185396
 JP 1991-108801
 JP 1991-313074
 GI For diagram(s), see printed CA Issue.
 AB The title photog. material possesses at least each one of photosensitive silver halide emulsion layers and nonphotosensitive hydrophilic colloidal layers. At least one of said photosensitive emulsion layers contains yellow photog. couplers (I) and/or XIX2NCOCH(Z)CONHY (X1, X2 = alkyl, aryl, heterocyclyl; X3 = organic group residue required to form a heterocyclic group together with the N atom; Y = aryl, heterocyclyl; Z = group leaving upon reaction of the coupler with the oxidized form of a developing agent). Addnl. at least one of said photosensitive or nonphotosensitive layers contains at least one of phenol deriva. [II; Ral - Ra5 = H, alkyl, alkenyl, aryl, heterocyclyl, ARA6, NRA6Ra7, CORa8, SO2Ra8; A = O, S; Ra6 = H, monovalent organic group; Ra7, Ra8 = OH, monovalent organic group; all Ral - Ra5 = H; Ral - Ra5 substituents disposed at ortho position to each other may form a 5- to 7-membered (spiro or bicyclic) ring] and N heterocycles [III; R3 = OR6, oxy radical, group, S(O)R7, SO2R7, alkyl, alkenyl, alkynyl, COR8, R6 = H, alkyl; R7 = alkyl, aryl; R8 = H, monovalent organic group; R4, R5 = alkyl; each 2 R4 and 2 R5 may be same or different; B = nonmetal atomic group required to form a 5- to 7-membered ring together with the N atom]. II and III serve as image stabilizers. A combination of said yellow couplers I and image stabilizers II or III not only provides excellent stability of a coupler emulsion and spectral absorption characteristic and light stability of a yellow coloring dye with excellent without worsening the other photog. properties such as stability against heat and moisture and coupler coloration.

L12 ANSWER 49 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1994:65767 CAPLUS
 DN 120:65767
 TI Color photographic material
 IN Sato, Nobuo; Kobayashi, Hidetoshi; Morigaki, Masakazu
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 70 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05002247	A2	19930108	JP 1991-179041	19910625
JP 1991-179041	A1	19910625		

PI JP 05002247
 PRAI JP 1991-179041
 GI For diagram(s), see printed CA Issue.
 AB The title photog. material contains 21 acylacetamide type yellow coupler having an acyl group I (R = monovalent group; Q = non-metallic atoms required to complete a 3- to 5-membered hydrocarbon or heterocyclic ring) and 21 compound II (R1-3 = aliphatic or aromatic group; V1-3 = O, S, NR4; k, m, n, q = 0, 1; R4 = H, aliphatic or aromatic group; any 2 of R1-3 may form a 5- to 9-membered ring together with p). The material shows good image dye stability.

L12 ANSWER 50 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1993:659419 CAPLUS
 DN 119:259419
 TI Silver halide color photographic material
 IN Nakagawa, Hajime; Shimada, Yasuhiro
 PA Fuji Photo Film Co Ltd, Japan
 SO Jpn. Kokai Tokkyo Koho, 54 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05113642	A2	19930507	JP 1991-299607	19911021
JP 1991-299607	A1	19911021		


PI JP 05113642
 PRAI JP 1991-299607
 OS MARPAT 119:259419
 GI For diagram(s), see printed CA Issue.
 AB The title material comprises a support having thereon silver halide emulsion layers containing cyan dye-forming couplers I and silver halide emulsion layers containing acylacetamide yellow dye-forming couplers having acyl moiety Q1. For I, Ra = H or substituent; Rb and Rd = substituent; Rc = electron-attracting group; Za = H or group to be released upon coupling reaction with an oxidized aromatic primary amine color developing agent. For Q1, monovalent moiety other than H; L = nonmetallic atoms which, together with C, for forming a 3- to 5-membered hydrocarbon ring or heterocyclic ring; further details on said heterocyclic ring, R1, and L are given. The title material gives excellent color reproduction.

L12 ANSWER 55 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1993:528332 CAPLUS
 DN 119:128332
 TI Silver halide color photographic material
 IN Nakagawa, Hajime; Shimada, Yasuhiro
 PA Fuji Photo Film Co Ltd, Japan
 SO Jpn. Kokai Tokkyo Koho, 54 pp.
 CODEN: JKXXAF

DT Patent
 LA Japanese

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 05100381	A2	19930423	JP 1991-289531	19911009
PRAI	JP 1991-289531		19911009		
OS	MARPAT 119:128332				
GI					



II


AB The title material comprises a support having thereon a silver halide emulsion layer containing one or more cyan dye-forming couplers represented by I and a silver halide emulsion layer containing one or more yellow dye-forming couplers (Markush structure given). For I, R1 = H or substituent; R2, R4 = substituent; R3 = electron-attracting group; Z = H or group to be released upon coupling reaction with an oxidized aromatic primary amine color developing agent. Compound II is an example of the above-mentioned yellow dye-forming couplers. The title material gives excellent color reproduction

L12 ANSWER 56 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1993:263791 CAPLUS
 DN 118:263791
 TI Silver halide color photographic material
 IN Shono, Akiko; Sato, Nobuo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 105 pp.
 CODEN: JKXXAF

DT Patent
 LA Japanese

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 05019427	A2	19930129	JP 1991-193695	19910709
PRAI	JP 1991-193695	A	19910709	US 1992-909719	19920707
GI					



AB In the title material comprising a support having thereon blue-sensitive, green-sensitive, and red-sensitive silver halide emulsion layers and nonphotosensitive layers, at least one of said photosensitive or nonphotosensitive layers contains one or more compds. represented by general structure I. For I, R1 = alkyl, alkenyl, aryl, etc.; R2-R6 = H, halo, alkyl, alkenyl, etc.; R2 and R3, R3 and R4, or R5 and R6 may form a 5- or 6-membered ring or spiro ring. The blue-sensitive silver halide emulsion layers in the title material contain yellow couplers. The title material gives excellent color reproduction

L12 ANSWER 57 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1993:263781 CAPLUS
 DN 118:263781
 TI Silver halide color photographic material
 IN Sato, Nobuo; Ogawa, Akira; Morigaki, Masakazu
 PA Fuji Photo Film Co., Ltd., Japan
 SO Eur. Pat. Appl., 144 pp.
 CODEN: EPXXDW

DT Patent
 LA English

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 524540	A1	19930127	EP 1992-112077	19920715
	EP 524540	B1	19981125		
	JP 05027389	A2	19930205	JP 1991-203545	19910719
	US 5352572	A	19941004	US 1992-913946	19920717
	US 5478713	A	19951226	US 1994-207184	19940308
PRAI	JP 1991-203545	A	19910719		
	US 1992-913946	A3	19920717		
OS	MARPAT 118:263781				
GI					

AB For diagram(s), see printed CA Issue.

The title material comprises a combination of 21 yellow dye forming coupler from I (X3 = organic residue completing a N-containing ring; Y = aromatic or heterocyclic group; Z = group capable of splitting off by reaction with the oxidation product of an aromatic primary amine color developing agent) and

21 yellow color discoloration inhibitor from 7 different Markush structures of amides, P compds., and hydrazine compds. The material has high yellow color stability during development and processing.

L12 ANSWER 58 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1993:244507 CAPLUS
 DN 118:244507
 TI Silver halide color photographic material
 IN Sato, Nobuo; Kobayashi, Hidetoshi; Morigaki, Masakazu
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 105 pp.
 CODEN: JKXXAF

DT Patent
 LA Japanese

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 05002248	A2	19930108	JP 1991-179042	19910625
PRAI	JP 1991-179042		19910625		
GI					

AB For diagram(s), see printed CA Issue.

The title material contains one or more acylacetamide yellow couplers whose acyl moiety is represented by I. For I, R1 = monovalent group; Q = non-metallic atoms which, together with C, form a 3- to 5-membered hydrocarbon ring or a 3- to 5-membered heterocyclic ring; further details on said heterocyclic ring are given; a proviso is given. The title material also contains a color image stabilizer selected from sulfonamides, amides, and hydroxamic acid derivs. The title material gives stable images.

L12 ANSWER 59 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1993:244467 CAPLUS

DN 118:244467
TI Silver halide color photographic material

IN Shono, Akiko; Sato, Nobuo

PA Fuji Photo Film Co., Ltd., Japan

SO Eur. Pat. Appl., 106 pp.

CODEN: EPXXDM

DT Patent

LA English

PAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI EP 508398	A1	19921014	EP 1992-106063	19920408
EP 508398	B1	19980701		
R: DE, FR, GB, NL				
JP 05061165	A2	19930312	JP 1991-299499	19911021
US 5514531	A	19960507	US 1994-254425	19940606
PRAI JP 1991-108800	A	19910412		
JP 1991-180422	A	19910625		
JP 1991-299499	A	19911021		
US 1992-866453	B1	19920410		

OS MARPAT 118:244467

GI For diagram(s), see printed CA Issue.

AB A Ag halide color photog. material improved in color-forming property and color reproduction and providing dye images of improved preservability comprises an acrylamide yellow coupler represented by the formula I (R1 = a monovalent group; Q = a group of nonmetallic atoms required to form together with the C atom a 3-5 membered heterocyclic or cyclic hydrocarbon group; Y = a residue remaining after removing the acyl group from the coupler, provided that R1 is not H and does not bond to Q to form a ring) and a compound represented by II or

III
(R2-6 = H, alkyl, alkenyl, aryl, CN, halogen, NO2, or heterocyclyl, provided that R2-6 are not all H atoms at the same time; R7 = H or OR10 where R10 = H, alkyl, or oxy; R8, R9 = alkyl; B = a group of nonmetallic atoms required to form together with the N atom a 5-7-membered ring).

L12 ANSWER 60 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1993:157731 CAPLUS

DN 118:157731
TI Silver halide color photographic material

IN Sato, Nobuo; Fukuzawa, Yutaka; Morigaki, Masakazu

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 35 pp.


CODEN: JKXXAP

DT Patent

LA Japanese

PAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 04310949	A2	19921102	JP 1991-103336	19910409
PRAI JP 1991-103336		19910409		



AB A layer in the title material contains 21 yellow couplers and 21 compds. represented by I. For I, R1 = H, aliphatic group, aromatic moiety, etc.; R2, R3 = aliphatic group; R4, R6, R7 = H, or substituent; R5 = H, aliphatic group, aliphatic acyloxy, etc.; A = non-metallic atoms which, together with the benzene ring and N, form a 5- to 8-membered ring; further details on R1 to R3 are given. The use of the title material gives high quality images.

L12 ANSWER 61 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1992:521361 CAPLUS

DN 117:121361

TI Silver halide color photographic material containing pivaloyl- or benzoylacetyl yellow coupler

IN Yonemura, Hiroyuki

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 36 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

PAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 03209463	A2	19910912	JP 1990-4906	19900112
PRAI JP 1990-4906		19900112		

GI



AB A Ag halide color photog. material comprises on a support a cyan-coloring Ag halide emulsion layer containing 21 oil-soluble cyan coupler and 21 H2O-insol. polymer and a yellow-coloring Ag halide emulsion layer containing 21 oil-soluble yellow coupler having the formula I (R1 = aryl, tert-alkyl; R2 = F, alkyl, aryl, alkoxy, aryloxy, dialkylamino, alkylthio, arylthio; R3 = a group substitutable on the benzene ring; X = H, a group capable of leaving upon coupling reaction with an oxidized aromatic primary amine developing agent; 1 = 0-4; when

1 is plural, the multiple R3 are same or different). The photog. material provides excellent color reproduction and dye images with good spectral properties and inhibits fog formation and loss in maximum d. after prolonged storage.

L12 ANSWER 62 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1991:460742 CAPLUS

DN 115:60742

TI Silver halide color photographic material containing nitrogen heterocycles

IN Morigaki, Masakazu; Sato, Nobuo

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 72 pp.

CODEN: JKXXAP


DT Patent

LA Japanese

PAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 02262654	A2	19901025	JP 1989-316114	19891205
JP 2641070	B2	19970813		
US 5028519	A	19910702	US 1989-446313	19891205
PRAI JP 1988-308660	A1	19881206		


GI



AB The material contains 21 of the heterocycles I, II, III, IV, etc. [R,R1 = acyl, sulfonyl, sulfinyl, alkyloxycarbonyl, aryloxycarbonyl, phosphoryl, SO2NH2, CONH2; n = 1-3; R2,R3 = H, alkenyl, aryl group listed in R,R1; addnl. R3 = alkyl, heterocyclyl; B1,B2,B3,B4,B6 = (un)substituted CH2, CO; B5 = (un)substituted CH2; A = atoms to complete a 5- to 8-membered ring; X,Y = O, S, SO, SO2, (un)substituted NH] in any layer on a support and has 21 layer containing a pyrazole-type magenta coupler [V; R4 = H, substituent; Z1 = nonmetal atoms to complete an (un)substituted or fused azole ring; X2 = H, leaving group]. I-IV improve the storage stability of the yellow and cyan dye image against light and heat and prevent the formation of yellow stains in the white. A dye image

L12 ANSWER 62 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
 AN 1990:581279 CAPLUS
 DN 113:181279
 TI Silver halide color photographic material containing development inhibitor-releasing coupler and hydrophobic two-equivalent yellow coupler
 IN Ichijima, Yasushi; Shimada, Yasuhiro
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 35 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 02044337	A2	19900214	JP 1988-194640	19880805
JP 1988-194640		19880805		



AB The title color photog. material contains ≥ 1 DIR coupler (I) [R1 = group necessary to form a heterocyclic ring with N-C moiety; R2 = organic moiety; X = group forming development inhibitor], and ≥ 1 hydrophobic 2-equivalent yellow coupler, R3COC(Y)HCONHR4 [R3 = aromatic, 3° alkyl; R4 = aromatic; Y = aromatic oxy, or unsatd. 5-membered ring, 5-membered cyclic amide; R3, R4, or Y becomes divalent to form a polymer coupler]. The color photog. material shows improved sharpness.

L12 ANSWER 63 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1991:111811 CAPLUS
 DN 114:111811
 TI Silver halide color photographic photosensitive material containing stabilizer
 IN Sato, Nobuo; Morigaki, Masakazu
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 43 pp.
 CODEN: JKXXAP
 DT Patent
 LA Japanese
 FAN.CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 02181145	A2	19900713	JP 1988-295812	19881122
JP 08031637	B4	19960329		
US 5190853	A	19930302	US 1989-440298	19891122
JP 1988-295812	A	19881122		
JP 1988-302587	A	19881130		

AB The title material has on a support yellow coupler -containing layers or at least 1 of their adjoining layers containing a fading-preventing agent R1R2MR3R4 (R1-R4 = H, alkyl, alkenyl, aryl, heterocyclic, etc., R1 and R2 or R3 and R4 may combine with N to form a 5-8 membered ring, R1, R2, R3, or R4 may form a polymer larger than a dimer, the total number of C in R1-R4 is ≥ 6 , and R1-R4 are neither coupler residues nor reducing agents) 10-200 mol% with respect to the yellow couplers and the fading-preventing is contained in the layers as an emulsion coemulsified with the yellow coupler.

L12 ANSWER 65 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1990:28032 CAPLUS
 DN 112:28032
 TI Silver halide color photographic material containing malondianilide yellow photographic couplers
 IN Kobayashi, Hidetoshi; Shimada, Yasuhiro; Ichijima, Seiji; Ishii, Yoshio
 PA Fuji Photo Film Co., Ltd., USA
 SO Eur. Pat. Appl., 103 pp.
 CODEN: EPXXDW
 DT Patent
 LA English
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 320939	A2	19890621	EP 1988-121005	19881215
EP 320939	A3	19900314		
EP 320939	B1	19930609		
JP 01250950	A2	19891005	JP 1988-294306	19881121
JP 08033628	B4	19960329		
US 5187055	A	19930216	US 1988-284047	19881214
JP 1987-316973	A	19871215		
JP 1988-294306		19881121		

OS MARPAT 112:28032
 GI For diagram(s), see printed CA issue.
 AB Color photog. materials giving yellow dye images having improved fastness to heat contain a malondianilide coupler of the structure I (R1, R2 = C2-24 alkyl, C2-24 alkoxy, C2-24 alkylthio, C2-24 alkylsulfonyl, C2-24 alkoxy-carbonyl, C2-24 alkoxy-sulfonyl, C6-24 aryl, C6-24 arylsulfonyl, C6-24 arylthio, C6-24 arylthio, C7-24 aryloxy-carbonyl; R3, R4 = a group with which benzene can be substituted; Z = the nonmetal atoms necessary to form a 5-7-membered single or condensed hetero ring with the N; m, n = 0-4). Thus, a color photog. material containing the yellow coupler II was prepared. The resulting material was then exposed and processed to give an image having an extremely high image stability and a great interlayer effect.

L12 ANSWER 66 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1987:625917 CAPLUS
 DN 107:225917
 TI Silver halide photographic material
 IN Ichijima, Yasushi; Shimada, Yasuhiro; Arakawa, Jun
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 22 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 62085242	A2	19870418	JP 1985-225177	19851009
	JP 07001382	B4	19950111		
	US 4837136	A	19890606	US 1986-917133	19861009
PRAI	JP 1985-225177	A	19851009		
OS	CASREACT 107:225917				
GI					

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB A Ag halide photog. material contains a photog. useful nondiffusible compound containing (1) a sulfo group and (2) a group expressed by
 -(CH₂)_m CHRR1
 (R, R1 = aliphatic group with >2 C atoms; n = 0, 1). The compound has an improved dispersibility in the photog. layer, providing an increased photog. effect on the materials. Thus, the number of microspots on a developed color film surface derived from incomplete dissoln. of a coupler was substantially reduced by incorporating a cyan coupler I in the emulsion instead of the known coupler II.

L12 ANSWER 67 OF 67 CAPLUS COPYRIGHT 2005 ACS on STN
 AN 1986:543436 CAPLUS
 DN 105:143436
 TI Color photographic materials
 IN Morigaki, Masakazu; Tada, Momotoshi; Ogawa, Akira; Seto, Nobuo
 PA Fuji Photo Film Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 24 pp.
 CODEN: JKXXAP

DT Patent
 LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 61006652	A2	19860113	JP 1984-126651	19840620
	JP 05018099	B4	19930111		
PRAI	JP 1984-126651		19840620		

GI For diagram(s), see printed CA Issue.

AB The claimed Ag halide color photog. materials contain an emulsion layer containing Z1 yellow coupler of the formula
 RCH(R1)CO2R2 [R = (un)substituted N-phenylcarbamoyl; R1 = a group released during the coupling reaction; R2 = C4-20 tert-alkyl, (un)substituted phenyl], and also contain Z1 compound of the formula I (R3 = H, alkyl, alkenyl, acyl, sulfonyl, sulfinyl, oxy radical, OH; R4-R7 = H, alkyl; A = 5-7 membered ring) and Z1 compound of the formula II (R8 = H, alkyl, alkenyl, heterocyclyl, SiR14R15R16; R9-R13 = H, alkyl, alkenyl, aryl, acylamino, alkylamino, alkylthio, arylthio, alkoxy, carbonyl, aryloxy, carbonyl, OR8; R8R9 or R11R12 combination may complete 5-7 membered ring or spiro ring; R14, R15, R16 = alkyl, alkenyl, aryl, alkoxy, alkenyloxy, aryloxy) in the coupler-containing emulsion layer or its adjacent layer. The addition of compds. I and II to the material improves the yellow dye image stability.